

#1

IN SPECTACLE LENSES
WORLDWIDE*

PRODUCTS & RANGES 2023



essilor

**SEE MORE.
DO MORE.**

*Euromonitor, Eyewear 2021 edition, Essilor International company, worldwide retail value sales at RSP

Contents



Contacting Essilor®

Customer services and feedback

Essilor is committed to providing excellent customer service. We welcome all customer comments and will endeavour to use this feedback to improve our service. To demonstrate our commitment to listening to our customers, a Customer Comments Charter has been created.



ORDERS@ESSILOR.CO.UK



ECP.ESSILOR-PRO.COM/GB

- 1 Essilor welcomes comments from its customers
- 2 To make a comment simply:
 - a. Call our Customer Services Department on 01454 281 281
 - b. Send an email to: comments@essilor.co.uk
 - c. Send a letter to:
The Customer Comments Manager,
Essilor Ltd, Cooper Road, Thornbury,
Bristol, BS35 3UW
 - d. Speak to your Business Development Manager
- 3 Every customer will be treated with dignity and respect at all times
- 4 Comments will be dealt with impartially and with integrity
- 5 All comments will be fully investigated
- 6 Essilor will endeavour to process all comments as quickly as possible
- 7 All comments will be responded to according to the customer's preference i.e. either a letter, an email, or a phone call
- 8 We will use information obtained through customer comments to improve our service

CUSTOMER SERVICES - 01454 281 281

ACCOUNTS - 01454 423 317

CONSUMER GUARANTEES - 01454 281 281

ESSILOR BRISTOL GLAZING - 01454 423 254

ESSILOR LONDON GLAZING - 0207 421 6161

E-STORE - 01454 281 281

RETURNS / QUALITY - 01454 281 281

TECHNICAL ASSISTANCE - 01454 423 253

RECEPTION - 01454 417 100

INSTRUMENTS - 01454 423 457

CUSTOMER SERVICES (FOR IRISH CUSTOMERS ONLY)
T. 1800 936 377

Delivery times

Essilor is committed to providing you with the fastest delivery possible on all branded work and endeavours to maintain a high level of reliability against the quoted delivery time. Based on orders placed on a Monday, Essilor strives to meet the following timelines for product delivery. All delivery times are subject to an order cut off time of 5pm.⁽¹⁾

		Mon	Tue	Wed	Thu	Fri	Mon	Tue	Wed
Lens type	Stock		■		■	■			
	Uncoated Rx					■	■	■	
	Coated Rx						■	■	■

Uncut timings
 Plastic, Metal, Supra and remote edging
 Rimless

YOU CAN OBTAIN DELIVERY TIMES THROUGH:

- **e-Store:** Available 24 hours a day by referring to the 'Tracking' section.
- **Order Tracking on EssilorPRO:** Available 24 hours a day by logging in to your EssilorPRO portal account and selecting 'Track my Orders'.⁽²⁾
- **Customer Services:** Quoted at the point of order placement. This service is available Monday to Friday 9am - 6pm and Saturday 9am - 1pm.

UK EXPRESS - A GUARANTEED DELIVERY SERVICE WITH LOCALLY MANUFACTURED ESSILOR PRODUCTS

Delivery timings

With UK Express you can offer locally manufactured lenses to your patients with a guaranteed 2 working days delivery service of uncut lenses and 3 working days delivery service of remote edge and glazed lenses.⁽³⁾

How to order

To order uncut and remote edge lenses, simply go to the promotions section on e-Store and select UK Express. To order glazing please use the UK Express order form, which can be downloaded from ecp.essilor.co.uk or obtained from Customer Services.

LOCALLY MANUFACTURED LENSES

Varilux series
Varilux X series
Varilux Classics
Varilux Physio 3.0 / Varilux Comfort Max
Essilor Eyezen
Eyezen Start / Eyezen Boost ⁽⁴⁾
Coating
Crizal Sapphire HR

Materials
Stylis 1.67 / Ormix 1.6 / Airwear 1.59 / Orma 1.5
Clear / Transitions ⁽⁵⁾
Clear
Transitions Signature Gen8 Brown, Graphite Green ⁽⁶⁾ , Grey
Personalisation
Eyecode
AVA

¹ Delivery times are given in working days excluding Saturday and Bank holidays. Orders placed after 5pm will be processed the following day thus adding a working day to the expected delivery time. Orders placed after 5pm on a Friday will be processed the following working day taking into account weekends and public holidays. This policy applies to both ordinary and UK Express orders. Please visit article 4 of the Terms and Conditions for full information on delivery and risk.

² Only available to Essilor Experts.

³ Lenses ordered from Essilor Thornbury only. Essilor guarantees the delivery of the lenses by 5pm, 2 working days from date of order for uncut lenses. Essilor guarantees the delivery of the lenses by 5pm, 3 working days from the date of order for remote edge and glazed lenses.

⁴ Airwear 1.59 not available.

⁵ Transitions Amber, Amethyst, Emerald and Sapphire, Transitions Style Mirrors are not included in this service.

⁶ Airwear 1.59 Transitions Signature Gen8 Graphite Green is not included in this service.

User guide



General presentation

This catalogue gives the power availability for all Essilor lenses. The available additional features (coatings, tints, prism etc) are indicated for each product.

Range

The range availability for each product indicates availability by diameter. Prescription lenses (Rx) are obtained from surfacing semi-finished blanks.

MATERIAL TECHNICAL INFORMATION											
LINEIS 1.74					AIRWEAR 1.59					TECHNICAL INFORMATION GUIDE	
										Density of material (g/cm ³)	
1.46	33	C 396 T 400	100%	100%	1.20	31	C 385 T 400 X 400	100%	100%	Constringence of material (NE-1)/(NF-NC)	
STYLIS 1.67					ORMA 1.5					Wavelength at which transmission occurs	
										Wavelength at which transmission occurs	
1.36	32	C 395 T 400 X 400	100%	100%	C 1.32 T 1.27 T 1.31 X 1.32	58 60 58 58	C 355 T 382 T 395 X 355	C 93% T 99.9% T 99.9% X 93%	100% 100% 100% 100%	Percentage absorption of UVA	
ORMIX 1.6					Percentage absorption of UVB						
					Percentage absorption of UVB						
1.30	41	C 395 T 400 X 400	100%	100%	Percentage absorption of UVB						
Clear					Xperio Polarised						

⁽¹⁾ Varilux X series

⁽²⁾ Varilux Physio 3.0, Varilux Comfort Max, Varilux Liberty 3.0, Eyezen, Single vision and bifocal

User guide

This catalogue covers the ranges of stock and prescription lenses and has been designed for ease of use.

1 — Varilux® Xclusive 4D

2 Personalisation information

NVB		eyecode		AVA™
Mandatory	Mandatory	Mandatory	Mandatory	Optional

3 Varilux Xclusive 4D Clear & Eye Protect System

Ø	RANGE	CYLINDER	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION
55/60	-10.00 +6.00	+6.00		
60/65	-10.00 +6.00	+6.00		
65/70	-9.00 +6.00	+6.00		
70/75	-7.50 +6.00	+5.00		
75/80	-6.00 +5.00	+4.00		
Addition 0.75 to 3.50		Prism ≤ 4.50		

4

5 Varilux Xclusive 4D

Ø	RANGE	CYLINDER	Xperio
55/60	-10.00 +6.00	+6.00	
60/65	-10.00 +6.00	+6.00	
65/70	-8.50 +6.00	+6.00	
70/75	-7.00 +6.00	+5.00	
75/80	-6.00 +5.00	+4.00	
Addition 0.75 to 3.50		Prism ≤ 4.00	

6

8 **9**

10

Please refer to page 8 of the 2023 price list for full Xperio Sun availability

7 Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Spheric Rx Clear	Stylis 1.67	561
Ø	RANGE	CYLINDER
60	-13.00 +8.00	+4.00
65	-13.00 +8.00	+4.00
70	-10.00 +6.00	+4.00
75	-8.00 +2.00	+4.00
Prism	≤ 4.00	
Special Rx	Sphere: +13.50 / -14.50 / Cyl 6.50 (Availability depends on Rx specification)	

11

PERSONALISATION INFORMATION GUIDE	
	Near Vision Behaviour
	Dominant eye
	Eyecode
	Frame fitting parameters
	Advanced Vision Accuracy

- 1 Product name
- 2 Personalisation information
- 3 Product type
- 4 Diameter information
- 5 Range information
- 6 Addition information
- 7 Availability of Eye Protect System
- 8 Product code
- 9 Maximum cyl
- 10 Prism information
- 11 Availability of Specialised Rx

Specialised Rx

By using the network of European Essilor subsidiaries we are able to offer a higher range of both spheres and cylinders on some lenses, across the single vision and bifocal ranges. Specialised Rx will enable you to offer our range of products to even more patients.



How to order Specialised Rx

- 1 Identify if Specialised Rx is available on a particular lens, this will be indicated by the Specialised Rx information bar (see opposite) below the relevant range chart.
- 2 Refer to the information bar to identify the Specialised Rx maximum potential range. This is the maximum available sphere and cylinder range for the product. Availability is calculated on the individual prescription of the lens and may be affected by the cylinder, its direction or the overall power of the lens.
- 3 Telephone Customer Services on **01454 281 281** to place the order.

Spheric Rx Clear		Stylis 1.67	561
Ø	RANGE		CYLINDER
60	-13.00	+8.00	+4.00
65	-13.00	+8.00	+4.00
70	-10.00	+6.00	+4.00
75	-8.00	+2.00	+4.00
Prism	≤ 4.00		
Special Rx	Sphere: +13.50 / -14.50 / Cyl 6.50 (Availability depends on Rx specification)		

INFORMATION

Prices

The Specialised Rx charge is the standard lens price plus:

Single vision +£11.00

Bifocal +£20.00

Coatings, tints and lens treatments

Please contact Customer Services for availability. Only available with Crizal Sapphire HR or Supra. Available clear or with full tints only.

Lead time

Please note the lead time for Specialised Rx products can be up to 3 weeks.

e-Store

Online ordering from Essilor

The e-Store is a simple to use online ordering system that validates orders during entry, allowing you to order your lenses and promotional orders from Essilor.



Orders can be placed for

- Surfaced and stock lenses
- Remote-edged lenses
- Stock replenishment for large quantities
- Glazing orders
- Promotional lens orders

e-Store gives

- 24/7 secure access to Essilor's online ordering system
- All orders are validated during entry which prevents the selection of incompatible lens designs, materials, treatments or power ranges
- Lens offers are instantly updated when new products are launched
- Lens calculations and comparisons
- Access your account from an internet enabled PC, Mac, tablet or smartphone
- The ability to cancel an order within a 30 minute window

To access your ordering platform, please complete the following steps:

Step one:

Log into your EssilorPRO account by going to: <https://login.essilor-pro.com/>

Step two:

Go to 'My orders' tab on the menu to the left

Step three:

Select 'Place an order'

If you haven't activated your EssilorPRO account, then please get in touch with your BDM or send an email to digitalmarketing@essilor.co.uk

You will then receive a welcome email. Once you have the welcome email, please complete the next steps:

Step four:

On receipt of the EssilorPRO Welcome email, create your account by clicking on the blue link

Step five:

Complete the information required. Please note it is important to make a note of your answer to the forgotten password question. You may need this in the future.

Step six:

You are ready to complete step one

Precal[®]

Optimised thickness for all lenses

Precal is a lens calculation process which predetermines the thickness of a glazed lens, based on frame shape, prescription and centration. Precal calculates the minimum centre thickness to which a lens can be surfaced, to provide the thickness appropriate to the lens/mount combination. The Precal calculation will only be applied when specified by the customer, or when stock lenses cannot be used due to the frame type e.g. semi-rimless (supra) or rimless mounts.

1. Availability

Establish that the prescription is within range and in the diameter required.

2. Provide full prescription

- Lens type
- Prescription
- Tints and/or coatings
- Frame type or edge thickness. Quote the minimum distance between lenses (measured at the nasal points, NOT HCL)
- Edge thickness

3. Shape outline

- Draw around the former or glazed lens with point of pen inclined inwards, to ensure outline is the true size and shape. Indicate the A and B measurements of the lens shape on the order. This eliminates any errors caused by drawing

4. Centration


- Quote right and left monocular PDs
- Quote right and left fitting heights*

5. Frame details


State frame type or quote the lens edge thickness required at the thinnest point, no less than 1mm. If no edge thickness is quoted for a rimless frame we will automatically aim for 1.5mm at thinnest edge, (depending on frame), ensuring 2mm or 2.5mm at drill holes depending on lens material. Essilor gives a minimum edge thickness of 2mm for semi-rimless mounts (supra). You may also order Precal by telephone by quoting the lens type, prescription and coatings etc. accompanied by:

- A standard shape number
- The A box measurement
- The B box measurement
- The boxed minimum distance between lenses
- The thinnest glazed edge requirement or mount type e.g. metal, plastic, semi-rimless (supra) or rimless

Tip - When it is difficult to clearly define the shape by number, SHAPE No.7, (a rectangular shape with rounded corners) or SHAPE No.5, (an oval shape) have been found to give consistently good results.




Precal standard shapes
Select nearest shape and quote number,
A, B and MDBL measurements




*Fitting height may be quoted in relation to the horizontal centre line (HCL), or as distance to the tangent of the lowest edge of the lens

Precal[®]

Optimised thickness for all lenses




SINGLE VISION




H = Optical centre height

VARILUX



H = Fitting cross height

BIFOCAL



H = Segment height

Plus factors for using Precal

- Mid or high plus prescription
- Plus cylinder axis of a toric lens running along the horizontal $\pm 30^\circ$ (eg. +200/+250 X 165)
- Varifocal lens
- Lens with prism (base up, down, out or in)
- Shallow eye shape
- High decentration

Precal may also be used:

- To ensure the correct edging for rimless and semi-rimless (supra) glazing
- To balance thickness or weight of right or left lenses, for both minus and plus prescriptions


Order using
actual glazed
shape

Or by post
using an Essilor
order form

Easy Fit

Save time, space and money

Easy Fit is the remote edging solution from Essilor. Easy Fit ensures the lenses meet your optical demands perfectly and provides the fitting accuracy you expect. Ideal for the newest generation of lenses, Easy Fit ensures you will always be at the cutting edge of technology.



Advantages

- The accuracy of the lens edging is optimised. The compensation algorithm ensures that your lenses arrive without the need of any retouching
- You will save time so you can dedicate more time to your patients
- You just have to assemble your jobs, your practice will be cleaner and you'll have more space
- Easy Fit is ideal for your business, bringing savings and efficiency while ensuring the highest quality standard for your patients
- You eliminate breakage costs which means you grow profitability, as you only pay for the jobs you receive
- Easy Fit allows you to make shape modifications to your semi-rimless (supra) lenses
- Easy Fit has 12 worldwide patents, exclusive to Essilor

What do you need

The operating process is very quick, so only one tracer is required in the practice. An internet ready Mac or PC is also required. Essilor takes care of everything else. Our qualified staff use the latest technology to edge your lenses and give you a perfect fit.

ESSILOR®
STELLEST™ LENSES



Essilor® Stellest™

Stellest™ lenses, Essilor's best solution to slow down myopia progression

Benefits to patients

- Stellest™ lenses slow down myopia progression by 67% on average, compared to single vision, when worn 12 hours a day⁽¹⁾
- Sharp vision through the single vision zone
- Aesthetic lens

Recommended for

- All myopic children: Starting to get myopia or already myopic

Lens characteristics

- Incorporates the unique H.A.L.T.⁽²⁾ technology
- H.A.L.T. is a constellation of 1021 lenslets spread over 11 rings, designed to create for the first time a volume of signal to slow down the elongation of the eye
- Available in Airwear 1.59
- Available with Crizal Kids+

Essilor Stellest	Airwear 1.59	DQG
Ø	RANGE	CYLINDER
65	-10.00	Plano +4.00
70	-9.00	Plano +4.00
	Prism	≤ 2.00

⁽¹⁾ Bao, J., Huang, Y., Li, X., Yang, A., Zhou, F., Wu, J., Wang, C., Li, Y., Lim, E.W., Spiegel, D.P., Drobe, B., Chen, H., 2022. Spectacle Lenses With Aspherical Lenslets for Myopia Control vs Single-Vision Spectacle Lenses: A Randomised Clinical Trial. JAMA Ophthalmol. 140(5), 472-478. <https://doi.org/10.1001/jamaophthalmol.2022.0401>.


⁽²⁾ Highly Aspherical Lenslet Target

ESSILOR®
EYEZEN® RANGE




Essilor® Eyezen® range

Discover the family of enhanced single vision lenses for everyday use



CHOOSE THE EYEZEN LENS BEST SUITED TO YOUR PATIENTS' NEEDS



Season 5 Ep. 18

ESSILOR® EYEZEN® START



Essilor® Eyezen® Start Rx and Stock

Enhanced every day lenses specifically designed for today's single vision wearers

Benefits to patients

- Better acuity in near vision⁽¹⁾
- Relaxed eyes day after day⁽²⁾
- Sharper vision
- Harmful light protection with Blue UV Filter System TM⁽³⁾
- Improved contrast⁽⁴⁾
- Enhanced protection of visual health with Crizal Previncia⁽⁵⁾
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- All single vision wearers
- Patients who have a balanced life between screens and outdoors
- Any patient attracted to technical innovation
- Patients interested in visual health protection
- Suitable for teenagers through to pre-presbyope patients

Lens characteristics

- Eyecode personalisation and AVA (Advanced Vision Accuracy) available⁽⁵⁾
- Wider areas of clear vision compared with standard single vision lenses⁽¹⁾
- A near vision zone optimised according to gazed direction and object distanced
- Eyezen Start Rx
 - Far and near reference point optimisation
- Eyezen Start Stock
 - Far reference point and an extended zone of aspherisation for near and far vision optimisation

⁽¹⁾ Internal Essilor RGD simulations 2022, increase of low aberration area compared to regular single vision lenses

⁽²⁾ Eyezen in-Life consumer studies - 3rd Independent parties - [Eyezen Start (Rx) -2018 FR - n=49 / Eyezen Start (Stock) - 2020 - FR - n=52]

⁽³⁾ Harmful light protection: UV and partial Blue-Violet light filtration. (Up to 45nm with the greatest toxicity between 415-455nm).

⁽⁴⁾ Compared with regular single vision lenses. Eyezen in-Life consumer studies - 3rd Independent parties - [Eyezen Start (Rx) -2018 FR - n=49 / Eyezen Start (Stock) - 2020 - FR - n=52]

⁽⁵⁾ Available with Eyezen Start Rx only

Essilor® Eyezen® Start Rx

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Essilor Eyezen Start Rx Clear & Eye Protect System

Lineis 1.74

063

Transitions
Signature GEN8

Ø	RANGE		CYLINDER	
60	-18.00	+13.00	+6.00	
65	-18.00	+13.00	+6.00	
70	-11.00	+9.00	+6.00	
75	-11.00	+9.00	+6.00	
80	-11.00	+6.00	+6.00	

Prism ≤ 3.00

Essilor Eyezen Start Rx Clear & Eye Protect System

Stylis 1.67

052

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Style
MIRRORS

Ø	RANGE		CYLINDER			
60	-14.00	+9.00	+6.00			
65	-14.00	+9.00	+6.00			
70	-13.00	+9.00	+6.00			
75	-12.00	+9.00	+6.00			
80	-11.00	+8.00	+6.00			

Prism ≤ 3.00

Essilor Eyezen Start Rx

Stylis 1.67

052

Xperio
SUNLENSES
POLARISED

Ø	RANGE		CYLINDER	
60	-12.00	+9.00	+4.00	
65	-12.00	+9.00	+4.00	
70	-11.00	+9.00	+4.00	
75	-10.00	+8.00	+4.00	
80	-9.00	+6.00	+4.00	

Prism ≤ 3.00

Please refer to page 5 of the 2023 price list for full Xperio Sun availability

Essilor® Eyezen® Start Rx

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Essilor Eyezen Start Rx Clear & Eye Protect System

Ormix 1.6

048

Ø	RANGE		CYLINDER
60	-12.00	+8.00	+6.00
65	-12.00	+8.00	+6.00
70	-11.00	+8.00	+6.00
75	-10.50	+8.00	+6.00
80	-10.00	+6.00	+5.00

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Transitions
XTRACTIVE
POLARIZED*

Style
MIRRORS

Prism ≤ 3.00



Essilor Eyezen Start Rx

Ormix 1.6

048

Ø	RANGE		CYLINDER
60	-12.00	+8.00	+4.00
65	-11.00	+8.00	+4.00
70	-10.00	+8.00	+4.00
75	-9.00	+8.00	+4.00
80	-8.00	+7.00	+4.00

xperio
SUN LENSES
POLARISED

Prism ≤ 3.00



Please refer to page 5 of the 2023 price list for full Xperio Sun availability

Essilor® Eyezen® Start Rx

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect
System™

Standard⁽¹⁾

Essilor Eyezen Start Rx Clear & Eye Protect System

Airwear 1.59

062

Transitions
Signature GEN8

Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+6.00	■
65	-10.00	+6.00	+6.00	■
70	-9.50	+6.00	+6.00	■
75	-9.00	+6.00	+6.00	■
80	-8.50	+5.50	+6.00	■
Prism	≤ 3.00			● ● ●

Essilor Eyezen Start Rx

Airwear 1.59

062

Xperio
SUN LENSES
POLARISED

Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+6.00	■
65	-10.00	+6.00	+6.00	■
70	-9.50	+6.00	+6.00	■
75	-8.50	+6.00	+5.00	■
80	-7.00	+5.00	+4.00	■
Prism	≤ 3.00			● ● ●

Please refer to page 5 of the 2023 price list for full Xperio Sun availability

Essilor® Eyezen® Start Rx

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Essilor Eyezen Start Rx Clear & Eye Protect System

Orma 1.5

047

Transitions Signature GEN8

Transitions XTRACTIVE
NEW GENERATION

Ø	RANGE		CYLINDER		
60	-10.00	+6.00	+6.00		
65	-10.00	+6.00	+6.00		
70	-9.50	+6.00	+6.00		
75	-8.50	+6.00	+5.00		
Prism	≤ 3.00				

Essilor Eyezen Start Rx

Orma 1.5

047

Xperio
SUN LENSES
POLARISED

Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+4.00	
65	-10.00	+6.00	+4.00	
70	-8.00	+6.00	+4.00	
75	-7.00	+4.00	+4.00	
Prism	≤ 3.00			

Please refer to page 5 of the 2023 price list for full Xperio Sun availability

BlueUV Capture

BlueUV Capture™

Standard

AVAILABLE
IN FEBRUARY
2023

Essilor® Eyezen® Start Stock

Essilor Eyezen Start Stock BlueUV Capture

Ormix 1.6

59Y

Ø	RANGE		CYLINDER
65	+0.25	+3.00	+2.00
75	-6.00	Plano	+2.00

Essilor Eyezen Start Stock BlueUV Capture

Orma 1.5

59X

Ø	RANGE		CYLINDER
70	+2.25	+3.00	+2.00
75	-4.00	+2.00	+2.00
80	-3.00	Plano	+2.00

ESSILOR® EYEZEN® BOOST



Essilor® Eyezen® Boost

Advanced every day lenses specifically designed for extensive use of digital devices

Benefits to patients

- Helps reduce eye strain and eye fatigue
- Improved ability to easily read very small characters
- Adapted to each age profile
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation¹
- Enhanced protection of visual health with Crizal Previncia
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Single vision wearers who experience visual fatigue
- Patients using digital devices either at work or at home
- Any patient attracted to technical innovation
- Patients interested in visual health protection

Lens characteristics

- Near working distance boost, incorporated into the design with Eyezen Focus

Essilor Eyezen 0.40	Essilor Eyezen 0.60	Essilor Eyezen 0.85	Essilor Eyezen 1.10
To relax eyes of 20-34 year olds from digital stress	To relax eyes of 35-39 year olds from digital stress	To relax eyes of 40-44 year olds from digital stress	To relax eyes of 45-50 year olds from digital stress
Eyezen focus offers an extra +0.40D boost in the bottom part of the lens	Eyezen focus offers an extra +0.60D boost in the bottom part of the lens	Eyezen focus offers an extra +0.85D boost in the bottom part of the lens	Eyezen focus offers an extra +1.10D boost in the bottom part of the lens

Essilor® Eyezen® Boost

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Essilor Eyezen Boost Clear & Eye Protect System		Lines 1.74	811 (0.40) 250 (0.60) 554 (0.85) 075 (1.10)	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
60	-18.00 +13.00	+6.00		■
65	-15.00 +13.00	+6.00		■
70	-12.00 +9.00	+6.00		■
75	-10.00 +8.00	+5.00		■
80	-9.00 +6.00	+4.00		■
Prism	≤ 3.00		● ●	

Essilor Eyezen Boost Clear & Eye Protect System		Styllis 1.67	760 (0.40) 214 (0.60) 420 (0.85) 073 (1.10)	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
60	-14.00 +9.00	+6.00		■
65	-12.00 +9.00	+6.00		■
70	-11.00 +9.00	+6.00		■
75	-10.00 +8.00	+5.00		■
80	-9.00 +6.00	+4.00		■
Prism	≤ 3.00		● ● ●	

Essilor Eyezen Boost Clear & Eye Protect System		Ormix 1.6	257 (0.40) 125 (0.60) 254 (0.85) 072 (1.10)	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
60	-12.00 +8.00	+6.00		■
65	-12.00 +8.00	+6.00		■
70	-10.00 +8.00	+6.00		■
75	-9.00 +8.00	+5.00		■
80	-8.00 +6.00	+4.00		■
Prism	≤ 3.00		● ● ●	

Essilor® Eyezen® Boost

Personalisation information

eyecode

AVA™

Mandatory

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Essilor Eyezen Boost Clear & Eye Protect System				Airwear 1.59	800 (0.40) 239 (0.60) 431 (0.85) 074 (1.10)	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
60	-10.00	+6.00	+6.00	■		
65	-10.00	+6.00	+6.00	■		
70	-9.50	+6.00	+6.00	■		
75	-8.50	+6.00	+5.00	■		
Prism	≤ 3.00			● ● ●		

Essilor Eyezen Boost Clear & Eye Protect System				Orma 1.5	590 (0.40) 093 (0.60) 390 (0.85) 071 (1.10)	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
60	-10.00	+6.00	+6.00	■		
65	-10.00	+6.00	+6.00	■		
70	-9.00	+6.00	+6.00	■		
75	-8.00	+6.00	+5.00	■		
Prism	≤ 3.00			● ● ●		

ESSILOR®
EYEZEN® KIDS



Essilor® Eyezen® Kids

Enhanced every day lenses specifically designed for today's young spectacle lens wearers with Eyezen® DualOptim™ Kids technology

Benefits to patients

- Better acuity in near vision
- Sharper vision
- Harmful light protection within an aesthetically clear lens with Eye Protect System innovation⁽¹⁾
- Full two year guarantee against manufacturing defects with Crizal Kids

Recommended for

- Children requiring a single vision lens, particularly from 6 to 12 years old

Lens characteristics




- Far and near reference point optimisation
- The correct power and correct astigmatism for near and far vision
- A near vision zone optimised according to gaze direction and object distance




Essilor® Eyezen® Kids




Eye Protect System

EyeProtect System™



Standard⁽¹⁾

Essilor Eyezen Kids Clear & Eye Protect System				Ormix 1.6	5J2	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
55	-12.00	+8.00	+6.00			
60	-12.00	+8.00	+6.00			
Prism	≤ 3.00					

Essilor Eyezen Kids Clear & Eye Protect System				Airwear 1.59	2GE	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
55	-10.00	+6.00	+6.00			
60	-10.00	+6.00	+6.00			
Prism	≤ 3.00					

Essilor Eyezen Kids Clear & Eye Protect System				Ormix 1.5	5J0	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
55	-10.00	+6.00	+6.00			
60	-10.00	+6.00	+6.00			
Prism	≤ 3.00					

VARILUX® X SERIES



Varilux® X series range

Varilux® X series™ lenses allow wearers to seamlessly capture every detail within arm's reach, as well as beyond.

Benefits to patients

- No need to search for the sweet spot in the lens
- Extended vision within arm's reach
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation

Recommended for

- Presbyopes who multi-task and do not want to slow down their way of life
- Any presbyopic patient who wants to benefit from the latest technologies available and the best optical performance
- Patients interested in visual health protection

Lens characteristics

- **Near Vision Behaviour personalisation parameter and AVA (Advanced Vision Accuracy) available**
- Eyecode personalisation available
- Integrated wearer power calculation - ordered power and measured (focimeter) power values printed on lens packet
 - With Nanoptix technology, the difference between the ordered addition and the measured addition will be greater than for standard lenses
- Manufactured using the latest digital surfacing technology
- Cosmetic prism thinning 2/3 reading add base down

Personalisation	EyeProtect System™	Eyecode	Nanoptix™ Xtend™ Synchroneyes™	NVB	4D Technology™	AVA™
Varilux Xclusive 4D	■	■	■	■	■	■
Varilux X track 2	■	■	■	-	-	■
Varilux X Design	■	■	■	-	-	■

Varilux® Xclusive 4D



Personalisation information				
Mandatory	Mandatory	Mandatory	Mandatory	Optional

Eye Protect System
EyeProtect System..
Standard ⁽¹⁾

Varilux Xclusive 4D Clear & Eye Protect System				Lineis 1.74	039	Transitions Signature GEN8
Ø	RANGE		CYLINDER			
55/60	-14.00	+13.00	+6.00			
60/65	-13.00	+13.00	+6.00			
65/70	-12.00	+10.00	+6.00			
70/75	-11.00	+8.00	+5.00			
75/80	-10.50	+6.00	+4.00			
Addition	0.75 to 3.50		Prism	≤ 3.00		

Varilux Xclusive 4D Clear & Eye Protect System				Stylis 1.67	037	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS		
Ø	RANGE		CYLINDER							
55/60	-12.00	+9.00	+6.00							
60/65	-12.00	+9.00	+6.00							
65/70	-11.00	+9.00	+6.00							
70/75	-10.00	+8.00	+5.00							
75/80	-9.00	+6.00	+4.00							
Addition	0.75 to 3.50		Prism	≤ 4.00						

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® Xclusive 4D



Personalisation information				
Mandatory	Mandatory	Mandatory	Mandatory	Optional

Eye Protect System
EyeProtect System..
Standard ⁽¹⁾

Varilux Xclusive 4D Clear & Eye Protect System				Ormix 1.6	036	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE	CYLINDER						
55/60	-12.00	+8.00	+6.00					
60/65	-12.00	+8.00	+6.00					
65/70	-10.00	+8.00	+6.00					
70/75	-9.00	+8.00	+5.00					
75/80	-8.00	+6.00	+4.00					
Addition	0.75 to 3.50	Prism	≤ 3.00					

Varilux Xclusive 4D				Ormix 1.6	036	Xperio SUN LENSES POLARISED
Ø	RANGE	CYLINDER				
55/60	-12.00	+6.00	+6.00			
60/65	-12.00	+6.00	+6.00			
65/70	-10.00	+6.00	+6.00			
70/75	-9.00	+6.00	+5.00			
75/80	-8.00	+6.00	+4.00			
80/85	-7.00	+4.00	+3.00			
Addition	0.75 to 3.50	Prism	≤ 3.00			

Please refer to page 8 of the 2023 price list for full Xperio Sun availability

Varilux® Xclusive 4D



Personalisation information				
Mandatory	Mandatory	Mandatory	Mandatory	Optional

Eye Protect System
EyeProtect System..
Standard ⁽¹⁾

Varilux Xclusive 4D Clear & Eye Protect System		Airwear 1.59	034	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.50	+5.00	+4.00	
Addition	0.75 to 3.50	Prism	≤ 4.00	

Varilux Xclusive 4D		Airwear 1.59	034	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.50	+5.00	+4.00	
Addition	0.75 to 3.50	Prism	≤ 4.00	

Please refer to page 8 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® Xclusive 4D



Personalisation information				
Mandatory	Mandatory	Mandatory	Mandatory	Optional

Eye Protect System
EyeProtect System..
Standard ⁽¹⁾

Varilux Xclusive 4D Clear & Eye Protect System				Orma 1.5	033	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER				
55/60	-10.00	+6.00	+6.00				
60/65	-10.00	+6.00	+6.00				
65/70	-9.00	+6.00	+6.00				
70/75	-7.50	+6.00	+5.00				
75/80	-6.00	+5.00	+4.00				
Addition	0.75 to 3.50	Prism	≤ 4.50				

Varilux Xclusive 4D				Orma 1.5	033	Xperio SUNLENSES POLARISED
Ø	RANGE		CYLINDER			
55/60	-10.00	+6.00	+6.00			
60/65	-10.00	+6.00	+6.00			
65/70	-8.50	+6.00	+6.00			
70/75	-7.00	+6.00	+5.00			
75/80	-6.00	+5.00	+4.00			
Addition	0.75 to 3.50	Prism	≤ 4.00			

Please refer to page 8 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ Not available on prisms above 4.00

⁽³⁾ Available in category 3 and category 4

Varilux® X track 2



Personalisation information			
NVB	eyecode		AVA™
Mandatory	Optional	Mandatory	Optional

Eye Protect System
EyeProtect System™
Standard ⁽¹⁾

Varilux X track 2 Clear & Eye Protect System				Lineis 1.74	032	Transitions Signature GEN8
Ø	RANGE	CYLINDER				
55/60	-14.00	+13.00	+6.00	■		
60/65	-13.00	+13.00	+6.00	■		
65/70	-12.00	+10.00	+6.00	■		
70/75	-11.00	+8.00	+5.00	■		
75/80	-10.50	+6.00	+4.00	■		
Addition	0.75 to 3.50	Prism	≤ 3.00	● ●		

Varilux X track 2 Clear & Eye Protect System				Stylis 1.67	030	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE	CYLINDER						
55/60	-12.00	+9.00	+6.00	■ ■ ■				
60/65	-12.00	+9.00	+6.00	■ ■ ■				
65/70	-11.00	+9.00	+6.00	■ ■ ■				
70/75	-10.00	+8.00	+5.00	■ ■ ■				
75/80	-9.00	+6.00	+4.00	■ ■ ■				
Addition	0.75 to 3.50	Prism	≤ 4.00	● ● ● ● ● ●				

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® X track 2



Personalisation information			
NVB	eyecode		AVA™
Mandatory	Optional	Mandatory	Optional

Eye Protect System
EyeProtect System™
Standard ⁽¹⁾

Varilux X track 2 Clear & Eye Protect System				Ormix 1.6	029	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE		CYLINDER					
55/60	-12.00	+8.00	+6.00					
60/65	-12.00	+8.00	+6.00					
65/70	-10.00	+8.00	+6.00					
70/75	-9.00	+8.00	+5.00					
75/80	-8.00	+6.00	+4.00					
Addition	0.75 to 3.50	Prism	≤ 3.00					

Varilux X track 2				Ormix 1.6	029	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER			
55/60	-12.00	+6.00	+6.00			
60/65	-12.00	+6.00	+6.00			
65/70	-10.00	+6.00	+6.00			
70/75	-9.00	+6.00	+5.00			
75/80	-8.00	+6.00	+4.00			
80/85	-7.00	+4.00	+3.00			
Addition	0.75 to 3.50	Prism	≤ 3.00			

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® X track 2



Personalisation information			
NVB	eyecode		AVA™
Mandatory	Optional	Mandatory	Optional

Eye Protect System
EyeProtect System™
Standard ⁽¹⁾

Varilux X track 2 Clear & Eye Protect System		Airwear 1.59	028	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.50	+5.00	+4.00	
Addition	0.75 to 3.50	Prism	≤ 4.00	

Varilux X track 2		Airwear 1.59	028	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.50	+5.00	+4.00	
Addition	0.75 to 3.50	Prism	≤ 4.00	

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® X track 2



Personalisation information			
NVB	eyecode		AVA™
Mandatory	Optional	Mandatory	Optional

Eye Protect System
EyeProtect System™
Standard ⁽¹⁾

Varilux X track 2 Clear & Eye Protect System				Orma 1.5	027	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER				
55/60	-10.00	+6.00	+6.00				
60/65	-10.00	+6.00	+6.00				
65/70	-9.00	+6.00	+6.00				
70/75	-7.50	+6.00	+5.00				
75/80	-6.00	+5.00	+4.00				
Addition	0.75 to 3.50	Prism	≤ 4.50				

Varilux X track 2				Orma 1.5	027	Xperio SUNLENSES POLARISED
Ø	RANGE		CYLINDER			
55/60	-10.00	+6.00	+6.00			
60/65	-10.00	+6.00	+6.00			
65/70	-8.50	+6.00	+6.00			
70/75	-7.00	+6.00	+5.00			
75/80	-6.00	+5.00	+4.00			
Addition	0.75 to 3.50	Prism	≤ 4.00			

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ Available in category 3 and category 4

Varilux® X design

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux X design 012
 Varilux X design short 021
 Clear & Eye Protect System

Lineis 1.74

Transitions Signature GEN8

Ø	RANGE		CYLINDER
55/60	-14.00	+13.00	+6.00
60/65	-13.00	+13.00	+6.00
65/70	-12.00	+10.00	+6.00
70/75	-11.00	+8.00	+5.00
75/80	-10.50	+6.00	+4.00



Addition 0.75 to 3.50 Prism ≤ 3.00



Varilux X design 011
 Varilux X design short 020
 Clear & Eye Protect System

Stylis 1.67

Transitions Signature GEN8

Transitions XTRACTIVE NEW GENERATION

Style MIRRORS

Ø	RANGE		CYLINDER
55/60	-12.00	+9.00	+6.00
60/65	-12.00	+9.00	+6.00
65/70	-11.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00



Addition 0.75 to 3.50 Prism ≤ 4.00



⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® X design

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux X design 010
 Varilux X design short Ormix 1.6 018
 Clear & Eye Protect System

Transitions Signature GEN8

Transitions XTRACTIVE
 NEW GENERATION

Style MIRRORS

Ø	RANGE		CYLINDER	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
55/60	-12.00	+8.00	+6.00	■	■	■
60/65	-12.00	+8.00	+6.00	■	■	■
65/70	-10.00	+8.00	+6.00	■	■	■
70/75	-9.00	+8.00	+5.00	■	■	■
75/80	-8.00	+6.00	+4.00	■	■	■
Addition	0.75 to 3.50		Prism ≤ 3.00	●●●	●●●	●●●●●

Varilux X design 010
 Varilux X design short Ormix 1.6 018

Xperio
 SUN LENSES
 POLARISED

Ø	RANGE		CYLINDER	Xperio SUN LENSES POLARISED
55/60	-12.00	+6.00	+6.00	■
60/65	-12.00	+6.00	+6.00	■
65/70	-10.00	+6.00	+6.00	■
70/75	-9.00	+6.00	+5.00	■
75/80	-8.00	+6.00	+4.00	■
80/85	-7.00	+4.00	+3.00	■
Addition	0.75 to 3.50		Prism ≤ 3.00	●●●

Please refer to page 10 of the 2023 price list for full Xperio Sun availability

Varilux® X design

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux X design 006
 Varilux X design short Airwear 1.59 015
 Clear & Eye Protect System

Transitions®
 Signature GEN8

Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.50	+5.00	+4.00	■
Addition	0.75 to 3.50		Prism ≤ 4.00	●●●

Varilux X design 006
 Varilux X design short Airwear 1.59 015

Xperio
 SUN LENSES
 POLARISED

Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.50	+5.00	+4.00	■
Addition	0.75 to 3.50		Prism ≤ 4.00	●●

Please refer to page 10 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® X design

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux X design 004
 Varilux X design short Orma 1.5 013
 Clear & Eye Protect System

Transitions Signature GEN8

Transitions XTRACTIVE NEW GENERATION

Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00	■	■
60/65	-10.00	+6.00	+6.00	■	■
65/70	-9.00	+6.00	+6.00	■	■
70/75	-7.50	+6.00	+5.00	■	■
75/80	-6.00	+5.00	+4.00	■	■
Addition	0.75 to 3.50		Prism ≤ 4.50	●●●	●●●

Varilux X design 004
 Varilux X design short Orma 1.5 013

Xperio
 SUN LENSES POLARISED

Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-8.50	+6.00	+6.00	■
70/75	-7.00	+6.00	+5.00	■
75/80	-6.00	+5.00	+4.00	■
Addition	0.75 to 3.50		Prism ≤ 4.00	●● ⁽²⁾

Please refer to page 10 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ Available in category 3 and category 4

VARILUX® PHYSIO 3.0



Varilux® Physio 3.0 range



A new and improved Varilux Physio designed to ensure modern varifocal wearers benefit from effortless vision.

Benefits to patients

- Improved lower light performance
- Superior visual sharpness
- Wider field of intermediate vision
- Excellent performance in dynamic situations
- Prescription fully matched to the as worn position
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation

Recommended for

- Existing Varilux Physio 2.0 wearers
- Patients interested in visual protection

Lens characteristics

- Eyecode personalisation available and AVA (Advanced Vision Accuracy) available
- High Resolution Vision
- Designed using W.A.V.E 2.0 (mapping of pupil diameter)
- Binocular Booster to ensure better binocular performance from near to far
- Distance zone: Coma control
- Intermediate zone: Axis control of unwanted astigmatism
- Near vision zone: Vertical power control
- Integrated wearer power calculation-ordered power and measured (focimeter) power values printed on lens packet
- Manufactured using Advanced Digital Surfacing Cosmetic prism thinning 2/3 reading add base down

Varilux® Physio 3.0 f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 f-360⁰
Clear (Tintable) Lineis 1.74 265

Ø	RANGE	CYLINDER	
55/60	-18.00	+13.00	+6.00
60/65	-15.00	+13.00	+6.00
65/70	-13.50	+8.00	+5.00
70/75	-10.00	+7.00	+4.00
75/80	-9.00	+6.00	+3.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 3.00

Varilux Physio 3.0 f-360⁰
Eye Protect System Lineis 1.74 265

Ø	RANGE	CYLINDER	
55/60	-18.00	+13.00	+6.00
60/65	-15.00	+13.00	+6.00
65/70	-12.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 3.00

Transitions
Signature GEN8



Varilux Physio 3.0 f-360⁰
Eye Protect System Styllis 1.67 256

Ø	RANGE	CYLINDER	
55/60	-14.00	+9.00	+6.00
60/65	-12.00	+9.00	+6.00
65/70	-11.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 4.00

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Style
MIRRORS



Varilux® Physio 3.0 f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 f-360⁰
Clear (Tintable) Ormix 1.6 249

Ø	RANGE		CYLINDER
55/60	-12.00	+8.00	+6.00
60/65	-12.00	+8.00	+5.00
65/70	-10.00	+8.00	+4.00
70/75	-9.00	+8.00	+3.00
75/80	-8.00	+6.00	+4.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 3.00

Varilux Physio 3.0 f-360⁰
Eye Protect System Ormix 1.6 249


Ø	RANGE		CYLINDER
55/60	-12.00	+8.00	+6.00
60/65	-12.00	+8.00	+6.00
65/70	-10.00	+8.00	+6.00
70/75	-9.00	+8.00	+5.00
75/80	-8.00	+6.00	+4.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 3.00

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Style
MIRRORS



Varilux® Physio 3.0 f-360⁰



Personalisation information

eyecode **AVA™**

Optional Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 f-360 ⁰ Clear & Eye Protect System		Airwear 1.59	264	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.50	+5.00	+4.00	■
Addition	0.75 to 4.00 excl 3.75	Prism	≤ 4.00	● ● ●

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® Physio 3.0 f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 f-360⁰
Clear (Tintable) Orma 1.5 245

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.00	+6.00	+6.00
70/75	-6.00	+6.00	+5.00
75/80	-4.00	+5.00	+4.00
80/85	-3.00	+3.50	3.00

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 4.50

Varilux Physio 3.0 f-360⁰
Eye Protect System Orma 1.5 245

Ø	RANGE		CYLINDER	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION
55/60	-10.00	+7.00	+6.00	■	■
60/65	-10.00	+7.00	+6.00	■	■
65/70	-9.00	+7.00	+6.00	■ ⁽²⁾	■
70/75	-7.50	+6.00	+5.00	■	■ ⁽²⁾
75/80	-7.00	+6.00	+5.00	■	■

Addition 0.75 to 4.00 excl 3.75 Prism ≤ 4.50



⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ -9.00 to +6.00, cyl +6.00

⁽³⁾ -8.00 to +6.00, cyl +5.00

Varilux® Physio 3.0



Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0		233
Varilux Physio 3.0 short Clear (Tintable)	Lineis 1.74	244

Ø	RANGE		CYLINDER
55/60	-18.00	+13.00	+6.00
60/65	-15.00	+13.00	+6.00
65/70	-13.50	+8.00	+6.00
70/75	-10.00	+7.00	+4.00
75/80	-9.00	+6.00	+3.00

Addition Physio 3.0 Prism = 3.00
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00

Varilux Physio 3.0		233
Varilux Physio 3.0 short Eye Protect System	Lineis 1.74	244

Transitions Signature GEN8

Ø	RANGE		CYLINDER
55/60	-18.00	+13.00	+6.00
60/65	-15.00	+13.00	+6.00
65/70	-12.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00

Addition Physio 3.0 Prism = 3.00
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00



⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® Physio 3.0

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 231
 Varilux Physio 3.0 short 242
 Clear & Eye Protect System



Stylis 1.67

Transitions Signature GEN8

Transitions XTRACTIVE NEW GENERATION

Style MIRRORS

Ø	RANGE		CYLINDER
55/60	-14.00	+9.00	+6.00
60/65	-12.00	+9.00	+6.00
65/70	-11.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00



Addition Physio 3.0 Prism ≤ 4.00
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00




Varilux Physio 3.0 231

Stylis 1.67

Xperio SUN LENSES POLARISED

Ø	RANGE		CYLINDER
55/60	-12.00	+9.00	+4.00
60/65	-12.00	+9.00	+4.00
65/70	-11.00	+9.00	+4.00
70/75	-10.00	+8.00	+4.00
75/80	-9.00	+6.00	+4.00



Addition Physio 3.0 Prism ≤ 3.00
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00



Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux® Physio 3.0

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0	230
Varilux Physio 3.0 short Clear (Tintable)	241
Ormix 1.6	

Ø	RANGE	CYLINDER
55/60	-12.00 +8.00	+6.00
60/65	-12.00 +8.00	+5.00
65/70	-10.00 +8.00	+4.00
70/75	-9.00 +8.00	+3.00
75/80	-8.00 +6.00	+2.00

Addition Physio 3.0 Prism = 3.00
0.75 to 4.00 excl 3.75
Physio 3.0 short
0.75 to 3.00

Varilux Physio 3.0	230
Varilux Physio 3.0 short Eye Protect System	241
Ormix 1.6	

Ø	RANGE	CYLINDER
55/60	-12.00 +8.00	+6.00
60/65	-12.00 +8.00	+6.00
65/70	-10.00 +8.00	+6.00
70/75	-9.00 +8.00	+5.00
75/80	-8.00 +6.00	+4.00

Addition Physio 3.0 Prism = 3.00
0.75 to 4.00 excl 3.75
Physio 3.0 short
0.75 to 3.00

Transitions Signature GEN8

Transitions XTRACTIVE NEW GENERATION

Transitions XTRACTIVE POLARIZED

Style MIRRORS

Varilux Physio 3.0	Ormix 1.6	230
--------------------	-----------	-----

Ø	RANGE	CYLINDER
55/60	-12.00 +8.00	+4.00
60/65	-12.00 +8.00	+4.00
65/70	-10.00 +8.00	+4.00
70/75	-9.00 +8.00	+4.00
75/80	-8.00 +7.00	+4.00

Addition Physio 3.0 Prism = 3.00
0.75 to 3.50

Xperio SUN LENSES POLARIZED

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

Varilux® Physio 3.0

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 232
 Varilux Physio 3.0 short Airwear 1.59 243
 Clear & Eye Protect System

Transitions
 Signature GEN8

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.50	+5.00	+4.00
Addition	Physio 3.0	Prism	≠ 4.00
	0.75 to 4.00 excl 3.75		
	Physio 3.0 short		
	0.75 to 3.00		

Varilux Physio 3.0 Airwear 1.59 232

Xperio
 SUN LENSES
 POLARISED

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.25	+5.00	+4.00
Addition	Physio 3.0	Prism	≠ 3.00
	0.75 to 3.50		

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux® Physio 3.0

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0		220
Varilux Physio 3.0 short Clear (Tintable)	Orma 1.5	234

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.00	+6.00	+6.00
70/75	-6.00	+6.00	+5.00
75/80	-4.00	+5.00	+4.00

Addition Physio 3.0 Prism ≤ 4.50
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00

Varilux Physio 3.0		220
Varilux Physio 3.0 short Eye Protect System	Orma 1.5	234

Ø	RANGE		CYLINDER
55/60	-10.00	+7.00	+6.00
60/65	-10.00	+7.00	+6.00
65/70	-9.00	+7.00	+6.00
70/75	-7.50	+6.00	+5.00
75/80	-6.00	+5.00	+4.00

Addition Physio 3.0 Prism ≤ 4.50
 0.75 to 4.00 excl 3.75
 Physio 3.0 short
 0.75 to 3.00

Varilux Physio 3.0 Orma 1.5 220

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+4.00
60/65	-10.00	+6.00	+4.00
65/70	-8.00	+6.00	+4.00
70/75	-7.00	+4.00	+4.00

Addition Physio 3.0 0.75 to 3.50 Prism ≤ 4.00

Xperio
SUN LENSES
POLARISED



Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux® Physio 3.0

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Physio 3.0 220
 Varilux Physio 3.0 short Orma 1.5 234
 Transitions

Transitions Signature GEN8

Transitions XTRACTIVE NEW GENERATION

Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00		
60/65	-10.00	+6.00	+6.00		
65/70	-9.00	+6.00	+6.00		
70/75	-8.00	+6.00	+5.00		
75/80	-7.00	+5.00	+4.00		
Addition	Physio 3.0 0.75 to 4.00 excl 3.75 Physio 3.0 short 0.75 to 3.00	Prism	≤ 3.00		

Varilux Physio 3.0 Orma 1.5 220

Xperio SUN LENSES POLARISED

Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+4.00		
60/65	-10.00	+6.00	+4.00		
65/70	-8.00	+6.00	+4.00		
70/75	-7.00	+4.00	+4.00		
Addition	Physio 3.0 0.75 to 3.50	Prism	≤ 3.00		

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

VARILUX® COMFORT MAX



Varilux® Comfort Max range



Varilux Comfort Max will maximise patients' range of gaze directions and postures, ensuring vision comfort all day long

Benefits to patients

- Flexibility to naturally change their posture
- Visual comfort throughout the day
- Easy adaptation
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- First time varifocal wearers
- Existing Varilux Comfort New Edition wearers
- Patients interested in visual health protection

Lens characteristics

- AVA (Advanced Vision Accuracy) and Eyecode personalisation available
- Varilux Comfort performance enhanced through:
 - Flex Optim technology tailoring the design to each patient's prescription
 - Extended Useful Vision Zone, maximising the range of near vision gaze directions
- Manufactured using Advanced Digital Surfacing
- Cosmetic prism thinning 2/3 reading add base down

Varilux® Comfort Max f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max f-360 ⁰ Clear & Eye Protect System		Lineis 1.74	TFZ	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
55/60	-18.00	+13.00	+6.00	■
60/65	-15.00	+13.00	+6.00	■
65/70	-12.00	+9.00	+6.00	■
70/75	-10.00	+8.00	+5.00	■
75/80	-9.00	+6.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ●

Varilux Comfort Max f-360 ⁰ Clear & Eye Protect System		Stylis 1.67	TEZ	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE	CYLINDER				
55/60	-14.00	+9.00	+6.00	■	■	■
60/65	-12.00	+9.00	+6.00	■	■	■
65/70	-11.00	+9.00	+6.00	■	■	■
70/75	-10.00	+8.00	+5.00	■	■	■
75/80	-9.00	+6.00	+4.00	■	■	■
Addition	0.75 to 3.50	Prism	≤ 4.00⁽²⁾	● ● ●	● ● ●	● ● ● ●

Varilux Comfort Max f-360 ⁰		Stylis 1.67	TEZ	Xperio SUN LENSES POLARISED
Ø	RANGE	CYLINDER		
55/60	-12.00	+9.00	+4.00	■
60/65	-12.00	+9.00	+4.00	■
65/70	-11.00	+9.00	+4.00	■
70/75	-10.00	+8.00	+4.00	■
75/80	-9.00	+6.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio tints

⁽²⁾ Prism = 3.00 Transitions

Varilux® Comfort Max f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max f-360⁰ Clear & Eye Protect System

Ormix 1.6

TEH

Transitions Signature GEN8

Transitions XTRACTIVE
NEW GENERATION

Style MIRRORS

Ø	RANGE		CYLINDER			
55/60	-12.00	+8.00	+6.00	■	■	■
60/65	-12.00	+8.00	+6.00	■	■	■
65/70	-10.00	+8.00	+6.00	■	■	■
70/75	-9.00	+8.00	+5.00	■	■	■
75/80	-8.00	+6.00	+4.00	■	■	■
Addition	0.75 to 3.50	Prism	≤ 3.00	●●●	●●●	●●●●●

Varilux Comfort Max f-360⁰

Ormix 1.6

TEH

Xperio
SUN LENSES
POLARISED

Ø	RANGE		CYLINDER	
55/60	-12.00	+8.00	+4.00	■
60/65	-12.00	+8.00	+4.00	■
65/70	-10.00	+8.00	+4.00	■
70/75	-9.00	+8.00	+4.00	■
75/80	-8.00	+7.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	●●●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max f-360⁰ Clear (Tintable)

Ø	RANGE	Airwear 1.59	TDK
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.25	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≤ 3.00

Varilux Comfort Max f-360⁰ Eye Protect System

Ø	RANGE	Airwear 1.59	TDK
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.50	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≤ 4.00⁽²⁾

Transitions Signature GEN8



Varilux Comfort Max f-360⁰

Ø	RANGE	Airwear 1.59	TDK
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.25	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≤ 3.00

Xperio
SUN LENSES
POLARISED



Please refer to page 13 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ Prism = 3.00 Transitions

Varilux® Comfort Max f-360⁰

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max f-360⁰ Clear & Eye Protect System

Ø	RANGE	Orma 1.5	TD3
55/60	-10.00	+7.00	+6.00
60/65	-10.00	+7.00	+6.00
65/70	-9.00	+7.00	+6.00
70/75	-7.50	+6.00	+5.00
75/80	-6.00	+5.00	+4.00
80/85 ⁽²⁾	-4.00	+3.50	+3.00

Addition 0.75 to 3.50 Prism ≤ 4.50


Varilux Comfort Max f-360⁰ Transitions

Ø	RANGE	Orma 1.5	TD3
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.00	+6.00	+6.00
70/75	-8.00	+6.00	+5.00
75/80	-7.00	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≤ 3.00

Transitions Signature GEN8


Transitions XTRACTIVE
NEW GENERATION



Varilux Comfort Max f-360⁰

Ø	RANGE	Orma 1.5	TD3
55/60	-10.00	+6.00	+4.00
60/65	-10.00	+6.00	+4.00
65/70	-8.00	+6.00	+4.00
70/75	-7.00	+4.00	+4.00

Addition 0.75 to 3.50 Prism ≤ 3.00



Please refer to page 13 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ 80/85 only available on the clear tinted version, not Eye Protect System

Varilux® Comfort Max



Personalisation information

eyecode **AVA™**

Optional Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max		TFW		Transitions Signature GEN8
Varilux Comfort Max short		TFX		
Clear & Eye Protect System		Lines 1.74		
Ø	RANGE	CYLINDER		
55/60	-18.00 +13.00	+6.00		■
60/65	-15.00 +13.00	+6.00		■
65/70	-12.00 +9.00	+6.00		■
70/75	-10.00 +8.00	+5.00		■
75/80	-9.00 +6.00	+4.00		■
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00	● ●

⁽¹⁾ Eye Protect System not available with Xperio tints

Varilux® Comfort Max

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max
Varilux Comfort Max short
Clear & Eye Protect System

Stylis 1.67

TEW
TEX

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Style
MIRRORS

Ø	RANGE		CYLINDER			
55/60	-14.00	+9.00	+6.00			
60/65	-12.00	+9.00	+6.00			
65/70	-11.00	+9.00	+6.00			
70/75	-10.00	+8.00	+5.00			
75/80	-9.00	+6.00	+4.00			
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism = 4.00 Transitions = 3.00				

Varilux Comfort Max
Varilux Comfort Max short

Stylis 1.67

TEW
TEX

Xperio
SUN LENSES
POLARISED

Ø	RANGE		CYLINDER	
55/60	-12.00	+9.00	+4.00	
60/65	-12.00	+9.00	+4.00	
65/70	-11.00	+9.00	+4.00	
70/75	-10.00	+8.00	+4.00	
75/80	-9.00	+6.00	+4.00	
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism = 3.00		

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max
Varilux Comfort Max short
Clear & Eye Protect System

Ormix 1.6

TEE
TEF

Transitions
Signature GEN8

Transitions
XTRACTIVE
NEW GENERATION

Transitions
XTRACTIVE
POLARIZED®

Style
MIRRORS

Ø	RANGE		CYLINDER				
55/60	-12.00	+8.00	+6.00				
60/65	-12.00	+8.00	+6.00				
65/70	-10.00	+8.00	+6.00				
70/75	-9.00	+8.00	+5.00				
75/80	-8.00	+6.00	+4.00				
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00				

Varilux Comfort Max
Varilux Comfort Max short

Ormix 1.6

TEE
TEF

Xperio
SUN LENSES
POLARIZED

Ø	RANGE		CYLINDER	
55/60	-12.00	+8.00	+4.00	
60/65	-12.00	+8.00	+4.00	
65/70	-10.00	+8.00	+4.00	
70/75	-9.00	+8.00	+4.00	
75/80	-8.00	+7.00	+4.00	
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00	

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max			TDG
Varilux Comfort Max short			Airwear 1.59
Clear (Tintable)			TDH
Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.25	+5.00	+4.00
Addition	Comfort Max - 0.75 to 3.50	Prism	≤ 3.00
	Comfort Max short - 0.75 to 3.00		

Varilux Comfort Max			TDG	Transitions Signature GEN8
Varilux Comfort Max short			Airwear 1.59	
Eye Protect System			TDH	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.50	+5.00	+4.00	■
Addition	Comfort Max - 0.75 to 3.50	Prism	≤ 4.00 ⁽²⁾	● ● ●
	Comfort Max short - 0.75 to 3.00			

Varilux Comfort Max			TDG	Xperio SUN LENSES POLARISED
Varilux Comfort Max short			Airwear 1.59	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.25	+5.00	+4.00	■
Addition	Comfort Max - 0.75 to 3.50	Prism	≤ 3.00	● ● ●
	Comfort Max short - 0.75 to 3.00			

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ Prism = 3.00 Transitions

Varilux® Comfort Max

Personalisation information

eyecode

AVA™

Optional

Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max		Orma 1.5		TDO
Varilux Comfort Max short				TD1
Clear & Eye Protect System				
Ø	RANGE		CYLINDER	
55/60	-10.00	+7.00	+6.00	
60/65	-10.00	+7.00	+6.00	
65/70	-9.00	+7.00	+6.00	
70/75	-7.50	+6.00	+5.00	
75/80	-6.00	+5.00	+4.00	
80/85 ⁽²⁾	-4.00	+3.50	+3.00	
Addition	Comfort Max 0.75 to 3.50	Prism	≈ 4.50	
	Comfort Max short 0.75 to 3.00			

Varilux Comfort Max		Orma 1.5		TDO	Transitions Signature GEN8		Transitions XTRACTIVE NEW GENERATION	
Varilux Comfort Max short				TD1				
Transitions								
Ø	RANGE		CYLINDER					
55/60	-10.00	+6.00	+6.00		■		■	
60/65	-10.00	+6.00	+6.00		■		■	
65/70	-9.00	+6.00	+6.00		■		■	
70/75	-8.00	+6.00	+5.00		■		■	
75/80	-7.00	+5.00	+4.00		■		■	
Addition	Comfort Max 0.75 to 3.50	Prism	≈ 3.00		●●●		●●●	
	Comfort Max short 0.75 to 3.00							

⁽¹⁾ Eye Protect System not available with Xperio Tints

⁽²⁾ 80/85 only available on the clear tintable version, not Eye Protect System

Varilux® Comfort Max



Personalisation information







eyecode **AVA™**

Optional Optional

Eye Protect System

EyeProtect System™

Standard⁽¹⁾

Varilux Comfort Max		Orma 1.5	TDO TD1	
Varilux Comfort Max short				
Ø	RANGE	CYLINDER		
55/60	-10.00	+6.00	+4.00	
60/65	-10.00	+6.00	+4.00	
65/70	-8.00	+6.00	+4.00	
70/75	-7.00	+4.00	+4.00	
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00	

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

VARILUX® LIBERTY 3.0



Varilux® Liberty 3.0 range



Varilux Liberty 3.0 is the digitally surfaced entry level Varilux, providing patients with all-in-one harmonious vision at any distance

Benefits to patients

- Sharp vision at any distance
- Smooth transition between the different zones
- Wider near vision
- Access to Varilux performance with advanced technology
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Price sensitive patients looking for Varilux quality

Lens characteristics

- Designed using Path Optimiser, a Varilux technology
- Manufactured using Digital Surfacing
- Recommended with Crizal Previncia or Crizal Sapphire HR
- Cosmetic prism thinning 2/3 reading add base down

Varilux® Liberty 3.0

Varilux Liberty 3.0		Stylis 1.67		L6B L6C	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE		CYLINDER				
55/60	-14.00	+9.00	+6.00		■	■	■
60/65	-12.00	+9.00	+6.00		■	■	■
65/70	-11.00	+9.00	+6.00		■	■	■
70/75	-10.00	+8.00	+5.00		■	■	■
75/80	-9.00	+6.00	+4.00		■	■	■
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		● ● ●	● ● ●	● ● ● ●

Varilux Liberty 3.0		Ormix 1.6		L5W L5X	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Transitions XTRACTIVE POLARIZED*	Style MIRRORS
Ø	RANGE		CYLINDER					
55/60	-12.00	+8.00	+6.00		■	■	■	■
60/65	-12.00	+8.00	+6.00		■	■	■	■
65/70	-10.00	+8.00	+6.00		■	■	■	■
70/75	-9.00	+8.00	+5.00		■	■	■	■
75/80	-8.00	+6.00	+4.00		■	■	■	■
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		● ● ●	● ● ●	●	● ● ● ●

Varilux Liberty 3.0		Ormix 1.6		L5W L5X	Xperio SUN LENSES POLARIZED
Ø	RANGE		CYLINDER		
55/60	-12.00	+8.00	+4.00		■
60/65	-12.00	+8.00	+4.00		■
65/70	-10.00	+8.00	+4.00		■
70/75	-9.00	+8.00	+4.00		■
75/80	-8.00	+7.00	+4.00		■
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		● ● ●

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

Varilux® Liberty 3.0

Varilux Liberty 3.0		Airwear 1.59	L6G	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.25	+5.00	+4.00	
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≅ 3.00	

Varilux Liberty 3.0		Airwear 1.59	L6G	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.25	+5.00	+4.00	
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≅ 3.00	

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

Varilux® Liberty 3.0







Varilux Liberty 3.0		Orma 1.5		L2Y
Varilux Liberty 3.0 short				L2Z
Clear				
Ø	RANGE		CYLINDER	
55/60	-10.00	+7.00	+6.00	
60/65	-10.00	+7.00	+6.00	
65/70	-9.00	+7.00	+6.00	
70/75	-7.50	+6.00	+5.00	
75/80	-6.00	+5.00	+4.00	
80/85	-4.00	+3.50	+3.00	
Addition	Liberty 3.0	Prism	≅ 3.00	
	0.75 to 3.50			
	Liberty 3.0 short			
	0.75 to 3.00			

Varilux Liberty 3.0		Orma 1.5		L2Y	Transitions	
Varilux Liberty 3.0 short				L2Z	Signature GEN8	
Transitions					XTRACTIVE	
					NEW GENERATION	
Ø	RANGE		CYLINDER			
55/60	-10.00	+6.00	+6.00		■	■
60/65	-10.00	+6.00	+6.00		■	■
65/70	-9.00	+6.00	+6.00		■	■
70/75	-8.00	+6.00	+5.00		■	■
75/80	-7.00	+5.00	+4.00		■	■
Addition	Liberty 3.0	Prism	≅ 3.00			
	0.75 to 3.50				● ● ●	
	Liberty 3.0 short					
	0.75 to 3.00				● ● ●	

Varilux Liberty 3.0		Orma 1.5		L2Y	Xperio	
Varilux Liberty 3.0 short				L2Z	SUN LENSES	
					POLARISED	
Ø	RANGE		CYLINDER			
55/60	-10.00	+6.00	+4.00		■	
60/65	-10.00	+6.00	+4.00		■	
65/70	-8.00	+6.00	+4.00		■	
70/75	-7.00	+4.00	+4.00		■	
Addition	Liberty 3.0	Prism	≅ 3.00			
	0.75 to 3.50				● ● ●	
	Liberty 3.0 short					
	0.75 to 3.00					

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

VARILUX® LIFESTYLE



Varilux® Road Pilot range

A combination of a lifestyle Varilux design and a specific Crizal coating for optimum driving performance

Benefits to patients

- Wide distance and intermediate vision zones adapted to driving
- A decreased sensation of glare
- A greater clarity of vision
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation¹








Recommended for








- Patients with a lifestyle that involves frequent driving
- Patients attracted to technical innovation
- Patients interested in visual health protection







Lens characteristics

- 100% digital surfacing
- Design based on real life driving
- Optimised intermediate and distance vision zones
- Up to 90% less reflections at night, at 507nm where eye sensitivity is highest²
- Available with Transitions XTRActive New Generation for the ultimate driving solution

Varilux® Road Pilot

Varilux Road Pilot Clear & Eye Protect System		Stylis 1.67		511	
Ø	RANGE		CYLINDER		
60	-14.00	+9.00	+6.00		
65	-12.00	+9.00	+6.00		
70	-11.00	+9.00	+6.00		
75	-10.00	+8.00	+5.00		
80	-9.00	+6.00	+4.00		
Addition	0.75 to 3.50	Prism	≤ 3.00		

Varilux Road Pilot Clear & Eye Protect System		Ormix 1.6		505	
Ø	RANGE		CYLINDER		
60	-12.00	+8.00	+6.00		
65	-12.00	+8.00	+6.00		
70	-10.00	+8.00	+6.00		
75	-9.00	+8.00	+5.00		
80	-8.00	+6.00	+4.00		
Addition	0.75 to 3.50	Prism	≤ 3.00		

Varilux Road Pilot Clear & Eye Protect System		Orma 1.5		501	
Ø	RANGE		CYLINDER		
60	-10.00	+6.00	+6.00		
65	-10.00	+6.00	+6.00		
70	-9.00	+6.00	+6.00		
75	-8.00	+6.00	+5.00		
Addition	0.75 to 3.50	Prism	≤ 3.00		

Varilux® Digitime range

Occupational lenses designed for digital usage for relaxed eyes and posture in front of screens

Benefits to patients

- Help reduce eye strain and eye fatigue
- Reduce glare from bright screens
- New ultra near zone for improved readability of very small characters
- Adapted to frequent near and intermediate vision tasks
- Long term protection of visual health with Crizal Previncia
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Lens characteristics

- Design based on real life experiments which uncovered working distances used with digital devices and presbyope's physiological needs
- New digital environment working distances incorporated into the design
- Lens power degresses from the near vision point to the top of the lens
- Near vision inset matched to prescription to respect the natural eye convergence of the wearer

Recommended for

- Patients using digital devices or any other near or intermediate vision activities at work or at home
- Any patient attracted to technical innovation

	Near	Mid	Room
To relax eyes of presbyopes who regularly use:	Smartphones, tablets, laptops and other near vision items	Desktop computers and other intermediate vision items	Large screens and other extended vision items
Additional power below the near vision zone creating the new ultra near vision zone of up to:	+0.50D	+0.25D	+0.125D

Varilux® Digitime

Varilux Digitime Near		077
Varilux Digitime Mid	Stylis 1.67	127
Varilux Digitime Room		169

Ø	RANGE		CYLINDER
55/60	-14.00	+9.00	+6.00
60/65	-12.00	+9.00	+6.00
65/70	-11.00	+9.00	+6.00
70/75	-10.00	+8.00	+5.00
75/80	-9.00	+6.00	+4.00

Addition 0.75 to 3.50 Prism ≅ 3.00

Varilux Digitime Near		064
Varilux Digitime Mid	Ormix 1.6	113
Varilux Digitime Room		162

Ø	RANGE		CYLINDER
55/60	-12.00	+8.00	+6.00
60/65	-12.00	+8.00	+6.00
65/70	-10.00	+8.00	+6.00
70/75	-9.00	+8.00	+5.00
75/80	-8.00	+6.00	+4.00

Addition 0.75 to 3.50 Prism ≅ 3.00

Varilux Digitime Near		043
Varilux Digitime Mid	Airwear 1.59	831
Varilux Digitime Room		152

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.50	+6.00	+6.00
70/75	-8.50	+6.00	+5.00
75/80	-7.25	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≅ 3.00

Varilux Digitime Near		035
Varilux Digitime Mid	Orma 1.5	090
Varilux Digitime Room		134

Ø	RANGE		CYLINDER
55/60	-10.00	+6.00	+6.00
60/65	-10.00	+6.00	+6.00
65/70	-9.00	+6.00	+6.00
70/75	-8.00	+6.00	+5.00
75/80	-7.00	+5.00	+4.00

Addition 0.75 to 3.50 Prism ≅ 3.00

Varilux® Computer range

Occupational/lifestyle Varilux specifically designed for computer use

Benefits to patients

- Less accommodation fatigue
- Greatly relieves eye strain related to computer use
- Comfortable posture based on computer usage
- 2V
 - Less head movements, unrestricted eye movements
- 3V
 - Wide intermediate/screen and reading fields
 - Small zone at the top of the lens providing limited distance field
 - Less head movements required to achieve intermediate and near vision
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Patients using a computer, either at work or at home

Lens characteristics

- Design based on the ergonomics of visual computer tasks
- 2V
 - Wide area of clear vision for intermediate and near vision
 - The upper portion of Varilux Computer 2V is 0.55D less positive than the ordered near prescription
- 3V
 - Small semi-distance vision area, wide area for intermediate and near vision
 - Lens power degresses fully to distance Rx at the top of the lens

Varilux® Computer

Varilux Computer 3V		Ormix 1.6	365
Ø	RANGE		CYLINDER
60/65	-10.00	+6.00	+6.00
65/70	-10.00	+6.00	+6.00
70/75	-9.00	+6.00	+5.00
75/80	-8.00	+6.00	+4.00
Addition	1.00 to 2.50	Prism	≤ 3.00

Varilux Computer 3V		Orma 1.5	359
Ø	RANGE		CYLINDER
60/65	-10.00	+6.00	+6.00
65/70	-9.00	+6.00	+6.00
70/75	-8.00	+6.00	+5.00
75/80	-7.00	+5.00	+4.00
Addition	1.00 to 2.50	Prism	≤ 3.00

Varilux Computer 2V		Orma 1.5	202
Ø	RANGE		CYLINDER
60	-6.00	+7.00	+4.00
65	-6.00	+7.00	+4.00
70	-5.00	+7.00	+4.00
75	-4.00	+7.00	+4.00
Addition	1.00 to 2.50	Prism	≤ 3.00

Interview range



InterView offers the benefit of a near vision lens with extended depth of field.

Benefits to patients

- Clear vision from near to intermediate
- Allows a very comfortable posture for near and intermediate viewing
- Very quick adaptation
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Single vision wearers in need of mid distance correction
- Those reluctant to wear varifocal lenses but requiring intermediate vision

Lens characteristics

- Occupational single vision lens with optional power degenerations of 1.30D or 0.80D from full reading area upwards
- Degression ends at a point 6mm above the mounting reference line
- Reading lens with extended depth and field
- Where the wearer's addition is up to +2.00D, InterView 080 is suitable
- When the addition is greater than +2.00D, InterView 130 is recommended

Interview

Interview 080		Stylis 1.67	548
Interview 130			549
Ø	RANGE		CYLINDER
60	-5.00	+5.00	+4.00
65	-5.00	+5.00	+4.00
70	-5.00	+5.00	+4.00
75	-5.00	+5.00	+4.00

Prism ≤ 5.00

Interview 080		Ormix 1.6	536
Interview 130			537
Ø	RANGE		CYLINDER
60	-3.00	+5.00	+2.00
65	-3.00	+5.00	+2.00
70	-3.00	+5.00	+2.00
75	-3.00	+5.00	+2.00

Prism ≤ 5.00

Interview 080		Orma 1.5	836
Interview 130			838
Ø	RANGE		CYLINDER
60	-3.00	+5.00	+2.00
65	-3.00	+5.00	+2.00
70	-3.00	+5.00	+2.00
75	-3.00	+5.00	+2.00

Prism ≤ 3.00

ESSILOR® SUNWEAR



Xperio Polarised range

For patients who want visual comfort in very sunny conditions and strong glare environments.



A WIDE RANGE OF POLARISED COLOURS TO FIT ANY LIFESTYLE

Filter (class) category	Brown	Grey	Grey Green	Blue Purple	Violet	Blue Sky	Blue Ink
4 							
3 							
3/2 							

 Not suitable for driving

 Not suitable for night driving

⁽¹⁾ Survey contrast sensitivity and reaction times with polarised and tinted lenses in a driving environment - Institute for Vision research, Manhattan Vision Associates program # 5331 - association for research in Vision and ophthalmology 2009. ⁽²⁾ Survey conducted on 20 wearers, comparing visual performance with Polarised and non-Polarised sunglasses under reflected glare, by measuring Contrast Sensitivity - Saint-Maur R&D.

Xperio Tinted range

For patients who want essential complete protection and comfort, with a timeless look.



Filter (class) category	Black	Brown	Grey	Grey Green	Blue Ink	Burgundy***
4*						
3						
2**						
1						
0						
Graduated Tints						
3/0						
Regular / Long						
3/1						
Soft						

Not suitable for driving

Not suitable for night driving

* Full tint Class 4 and graduated tints not available on Airwear 1.59.

** Tint class 2 - 25% LTF not available on Lineis 1.74.

*** Burgundy does not feature Colour Rendering Index technology.

Xperio Mirrors range

For those where style is paramount and want to personalise their style.



8 MIRRORS ADDING A FASHION TOUCH TO SUN LENSES

Warm Mirrors are recommended with Xperio brown tinted and polarised sun lenses*. Available with the graduated option.

Cold Mirrors are recommended with Xperio grey tinted and polarised sun lenses*. Available with the graduated option.

Bronze

Orange



Silver

Forest Green

New Blue

Silver Shadow



Candy


Violet




 Class 4 not suitable for driving

 Class 1, 2 and 3 not suitable for night driving


Varilux® Xclusive 4D

Varilux Xclusive 4D		Ormix 1.6		036	
Ø	RANGE		CYLINDER		
55/60	-12.00	+6.00	+6.00		■
60/65	-12.00	+6.00	+6.00		■
65/70	-10.00	+6.00	+6.00		■
70/75	-9.00	+6.00	+5.00		■
75/80	-8.00	+6.00	+4.00		■
80/85	-7.00	+4.00	+3.00		■
Addition	0.75 to 3.50	Prism	≤ 3.00		●●●

Please refer to page 8 of the 2023 price list for full Xperio Sun availability

Varilux Xclusive 4D		Airwear 1.59		034	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00		■
60/65	-10.00	+6.00	+6.00		■
65/70	-9.50	+6.00	+6.00		■
70/75	-8.50	+6.00	+5.00		■
75/80	-7.50	+5.00	+4.00		■
Addition	0.75 to 3.50	Prism	≤ 4.00		●●


Please refer to page 8. of the 2023 price list for full Xperio Sun availability

Varilux Xclusive 4D		Orma 1.5		033	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00		■
60/65	-10.00	+6.00	+6.00		■
65/70	-8.50	+6.00	+6.00		■
70/75	-7.00	+6.00	+5.00		■
75/80	-6.00	+5.00	+4.00		■
Addition	0.75 to 3.50	Prism	≤ 4.00		●● ⁽¹⁾


Please refer to page 8 of the 2023 price list for full Xperio Sun availability

⁽¹⁾ Available in category 3 and category 4


Varilux® X track 2

Varilux X track 2		Ormix 1.6		029	
Ø	RANGE		CYLINDER		
55/60	-12.00	+6.00	+6.00	■	
60/65	-12.00	+6.00	+6.00	■	
65/70	-10.00	+6.00	+6.00	■	
70/75	-9.00	+6.00	+5.00	■	
75/80	-8.00	+6.00	+4.00	■	
80/85	-7.00	+4.00	+3.00	■	
Addition	0.75 to 3.50	Prism	≤ 3.00	●●●	

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

Varilux X track 2		Airwear 1.59		028	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00	■	
60/65	-10.00	+6.00	+6.00	■	
65/70	-9.50	+6.00	+6.00	■	
70/75	-8.50	+6.00	+5.00	■	
75/80	-7.50	+5.00	+4.00	■	
Addition	0.75 to 3.50	Prism	≤ 4.00	●●	

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

Varilux X track 2		Orma 1.5		027	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00	■	
60/65	-10.00	+6.00	+6.00	■	
65/70	-8.50	+6.00	+6.00	■	
70/75	-7.00	+6.00	+5.00	■	
75/80	-6.00	+5.00	+4.00	■	
Addition	0.75 to 3.50	Prism	≤ 4.00	●● ⁽¹⁾	

Please refer to page 9 of the 2023 price list for full Xperio Sun availability

Varilux® X design

Varilux X design		Ormix 1.6		010	Xperio SUN LENSES POLARISED
Varilux X design short				018	
Ø	RANGE			CYLINDER	
55/60	-12.00	+6.00		+6.00	■
60/65	-12.00	+6.00		+6.00	■
65/70	-10.00	+6.00		+6.00	■
70/75	-9.00	+6.00		+5.00	■
75/80	-8.00	+6.00		+4.00	■
80/85	-7.00	+4.00		+3.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00		●●●

Please refer to page 10 of the 2023 price list for full Xperio Sun availability

Varilux X design		Airwear 1.59		006	Xperio SUN LENSES POLARISED
Varilux X design short				015	
Ø	RANGE			CYLINDER	
55/60	-10.00	+6.00		+6.00	■
60/65	-10.00	+6.00		+6.00	■
65/70	-9.50	+6.00		+6.00	■
70/75	-8.50	+6.00		+5.00	■
75/80	-7.50	+5.00		+4.00	■
Addition	0.75 to 3.50	Prism	≤ 4.00		●●

Please refer to page 10 of the 2023 price list for full Xperio Sun availability






Varilux X design		Orma 1.5		004	Xperio SUN LENSES POLARISED
Varilux X design short				013	
Ø	RANGE			CYLINDER	
55/60	-10.00	+6.00		+6.00	■
60/65	-10.00	+6.00		+6.00	■
65/70	-8.50	+6.00		+6.00	■
70/75	-7.00	+6.00		+5.00	■
75/80	-6.00	+5.00		+4.00	■
Addition	0.75 to 3.50	Prism	≤ 4.00		●● ⁽¹⁾

Please refer to page 10 of the 2023 price list for full Xperio Sun availability








⁽¹⁾ Available in category 3 and category 4

Varilux® Physio 3.0



Varilux Physio 3.0		Stylis 1.67		231	
Ø	RANGE		CYLINDER		
55/60	-12.00	+9.00	+4.00		
60/65	-12.00	+9.00	+4.00		
65/70	-11.00	+9.00	+4.00		
70/75	-10.00	+8.00	+4.00		
75/80	-9.00	+6.00	+4.00		
Addition	0.75 to 3.50	Prism	≤ 3.00		

Please refer to page 12 of the 2023 price list for full Xperio Sun availability


Varilux Physio 3.0		Ormix 1.6		230	
Ø	RANGE		CYLINDER		
55/60	-12.00	+8.00	+4.00		
60/65	-12.00	+8.00	+4.00		
65/70	-10.00	+8.00	+4.00		
70/75	-9.00	+8.00	+4.00		
75/80	-8.00	+7.00	+4.00		
Addition	0.75 to 3.50	Prism	≤ 3.00		

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux® Physio 3.0

Varilux Physio 3.0		Airwear 1.59		232	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00	■	
60/65	-10.00	+6.00	+6.00	■	
65/70	-9.50	+6.00	+6.00	■	
70/75	-8.50	+6.00	+5.00	■	
75/80	-7.25	+5.00	+4.00	■	
Addition	0.75 to 3.50	Prism	≤ 3.00	● ●	

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux Physio 3.0		Orma 1.5		220	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+4.00	■	
60/65	-10.00	+6.00	+4.00	■	
65/70	-8.00	+6.00	+4.00	■	
70/75	-7.00	+4.00	+4.00	■	
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●	

Please refer to page 12 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max f-360⁰



Varilux Comfort Max f-360 ⁰		Stylis 1.67	TEZ	
Ø	RANGE		CYLINDER	
55/60	-12.00	+9.00	+4.00	■
60/65	-12.00	+9.00	+4.00	■
65/70	-11.00	+9.00	+4.00	■
70/75	-10.00	+8.00	+4.00	■
75/80	-9.00	+6.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

Varilux Comfort Max f-360 ⁰		Ormix 1.6	TEH	
Ø	RANGE		CYLINDER	
55/60	-12.00	+8.00	+4.00	■
60/65	-12.00	+8.00	+4.00	■
65/70	-10.00	+8.00	+4.00	■
70/75	-9.00	+8.00	+4.00	■
75/80	-8.00	+7.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max f-360⁰



Varilux Comfort Max f-360 ⁰		Airwear 1.59	TDK	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	■
60/65	-10.00	+6.00	+6.00	■
65/70	-9.50	+6.00	+6.00	■
70/75	-8.50	+6.00	+5.00	■
75/80	-7.25	+5.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

Varilux Comfort Max f-360 ⁰		Orma 1.5	TD3	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+4.00	■
60/65	-10.00	+6.00	+4.00	■
65/70	-8.00	+6.00	+4.00	■
70/75	-7.00	+4.00	+4.00	■
Addition	0.75 to 3.50	Prism	≤ 3.00	● ● ●

Please refer to page 13 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max

Varilux Comfort Max Varilux Comfort Max short		Stylis 1.67	TEW TEX	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
55/60	-12.00	+9.00	+4.00	■
60/65	-12.00	+9.00	+4.00	■
65/70	-11.00	+9.00	+4.00	■
70/75	-10.00	+8.00	+4.00	■
75/80	-9.00	+6.00	+4.00	■
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00	● ● ●

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

Varilux Comfort Max Varilux Comfort Max short		Ormix 1.6	TEE TEF	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
55/60	-12.00	+8.00	+4.00	■
60/65	-12.00	+8.00	+4.00	■
65/70	-10.00	+8.00	+4.00	■
70/75	-9.00	+8.00	+4.00	■
75/80	-8.00	+7.00	+4.00	■
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≤ 3.00	● ● ●

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

Varilux® Comfort Max





Varilux Comfort Max f-360 ⁰		Airwear 1.59	TDK	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+6.00	
60/65	-10.00	+6.00	+6.00	
65/70	-9.50	+6.00	+6.00	
70/75	-8.50	+6.00	+5.00	
75/80	-7.25	+5.00	+4.00	
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≅ 3.00	

Please refer to page 14 of the 2023 price list for full Xperio Sun availability

Varilux Comfort Max Varilux Comfort Max short		Orma 1.5	TDD TD1	
Ø	RANGE		CYLINDER	
55/60	-10.00	+6.00	+4.00	
60/65	-10.00	+6.00	+4.00	
65/70	-8.00	+6.00	+4.00	
70/75	-7.00	+4.00	+4.00	
Addition	Comfort Max 0.75 to 3.50 Comfort Max short 0.75 to 3.00	Prism	≅ 3.00	

Please refer to page 14 of the 2023 price list for full Xperio Sun availability



Varilux® Liberty 3.0

Varilux Liberty 3.0		Ormix 1.6		L5W L5X	
Ø	RANGE		CYLINDER		
55/60	-12.00	+8.00	+4.00	■	
60/65	-12.00	+8.00	+4.00	■	
65/70	-10.00	+8.00	+4.00	■	
70/75	-9.00	+8.00	+4.00	■	
75/80	-8.00	+7.00	+4.00	■	
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

Varilux Liberty 3.0		Airwear 1.59		L6G L6H	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+6.00	■	
60/65	-10.00	+6.00	+6.00	■	
65/70	-9.50	+6.00	+6.00	■	
70/75	-8.50	+6.00	+5.00	■	
75/80	-7.25	+5.00	+4.00	■	
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

Varilux Liberty 3.0		Orma 1.5		L2Y L2Z	
Ø	RANGE		CYLINDER		
55/60	-10.00	+6.00	+4.00	■	
60/65	-10.00	+6.00	+4.00	■	
65/70	-8.00	+6.00	+4.00	■	
70/75	-7.00	+4.00	+4.00	■	
Addition	Liberty 3.0 0.75 to 3.50 Liberty 3.0 short 0.75 to 3.00	Prism	≤ 3.00		

Please refer to page 16 of the 2023 price list for full Xperio Sun availability

Essilor® Eyezen® Start Rx









Essilor Eyezen Start Rx		Stylis 1.67	052	
Ø	RANGE		CYLINDER	
60	-12.00	+9.00	+4.00	
65	-12.00	+9.00	+4.00	
70	-11.00	+9.00	+4.00	
75	-10.00	+8.00	+4.00	
80	-9.00	+6.00	+4.00	
Prism ≤ 3.00				

Please refer to page 5 of the 2023 price list for full Xperio Sun availability







Essilor Eyezen Start Rx		Ormix 1.6	048	
Ø	RANGE		CYLINDER	
60	-12.00	+8.00	+4.00	
65	-11.00	+8.00	+4.00	
70	-10.00	+8.00	+4.00	
75	-9.00	+8.00	+4.00	
80	-8.00	+7.00	+4.00	
Prism ≤ 3.00				

Please refer to page 5 of the 2023 price list for full Xperio Sun availability

Essilor® Eyezen® Start Rx








Essilor Eyezen Start Rx		Airwear 1.59	062	
Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+6.00	
65	-10.00	+6.00	+6.00	
70	-9.50	+6.00	+6.00	
75	-8.50	+6.00	+5.00	
80	-7.00	+5.00	+4.00	
Prism	≤ 3.00			

Please refer to page 5 of the 2023 price list for full Xperio Sun availability








Essilor Eyezen Start Rx		Orma 1.5	047	
Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+4.00	
65	-10.00	+6.00	+4.00	
70	-8.00	+6.00	+4.00	
75	-7.00	+4.00	+4.00	
Prism	≤ 3.00			 ⁽¹⁾

Please refer to page 5 of the 2023 price list for full Xperio Sun availability

Single Vision Rx

Single Vision Rx		Stylis 1.67		561	
Ø	RANGE		CYLINDER		
60	-13.00	+8.00	+4.00		
65	-13.00	+8.00	+4.00		
70	-11.00	+8.00	+4.00		
75	-10.00	+8.00	+4.00		
80	-7.50	+7.00	+4.00		
Prism				≤ 4.00	

Please refer to page 28 of the 2023 price list for full Xperio Sun availability

Single Vision Rx		Ormix 1.6		524	
Ø	RANGE		CYLINDER		
60	-12.00	+8.00	+4.00		
65	-11.00	+8.00	+4.00		
70	-10.00	+8.00	+4.00		
75	-9.00	+8.00	+4.00		
80	-8.00	+8.00	+4.00		
Prism				≤ 4.00	

Please refer to page 29 of the 2023 price list for full Xperio Sun availability

Single Vision Rx



Single Vision Rx		Airwear 1.59		547	
Ø	RANGE		CYLINDER		
60	-10.00	+6.00	+4.00		
65	-10.00	+6.00	+4.00		
70	-10.00	+6.00	+4.00		
74	-4.00	+4.00	+4.00		
Prism	≤ 4.00				

Please refer to page 30 of the 2023 price list for full Xperio Sun availability

Single Vision Rx		Orma 1.5		522	
Ø	RANGE		CYLINDER		
60	-8.00	+6.00	+4.00		
65	-8.00	+6.00	+4.00		
70	-8.00	+6.00	+4.00		
74	-4.00	+4.00	+2.00		
Prism	≤ 4.00			⁽¹⁾	

Please refer to page 30 of the 2023 price list for full Xperio Sun availability

Sunmax



SunMax is an innovative range of lenses designed for large and wrap frames.

Benefits to patients

- Lenses for high base frames used in sport
- Benefits from Xperio polarised when chosen:
 - Disabling glare eliminated
 - Effective in the sunniest conditions
 - Enhanced colour perception and contrast
- E-SPF 50+ when combined with Crizal Sun XProtect

Recommended for

- High base frames
- Large diameter frames
- Ideal for all spectacle wearers
- Ideal for driving and sport
- Patients not willing to compromise in their frame choice

Lens characteristics

- An optical compensation to eliminate peripheral distortion and power errors due to their high base
- Prismatic compensation to avoid eyestrain due to gaze deviation

Varilux® Sunmax

Varilux Sunmax Clear & Xperio Tinted		Ormix 1.6		625	Xperio SUN LENSES TINTED
BASE	Ø	RANGE		CYLINDER	
600	Up to 100	-6.00	+5.00	+4.00	■
675	Up to 100	-5.00	+5.00	+4.00	■
850	Up to 95	-4.00	+5.00	+3.00	■
Addition	0.75 to 3.50	Prism	N/A		●●●

Please refer to page 19 of the 2023 price list for full Xperio Sun availability

Varilux Sunmax Xperio Polarised		Ormix 1.6		625	Xperio SUN LENSES POLARISED
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	■
675	Up to 101	-5.00	+5.00	+4.00	■
850	Up to 101	-4.00	+5.00	+4.00	■
Addition	0.75 to 3.50	Prism	N/A		●●●

Please refer to page 19 of the 2023 price list for full Xperio Sun availability

Varilux Sunmax Clear & Xperio Tinted		Airwear 1.59		421	Xperio SUN LENSES TINTED
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	■
700	Up to 101	-5.00	+5.00	+4.00	■
850	Up to 101	-5.00	+5.00	+3.00	■
Addition	0.75 to 3.50	Prism	N/A		●●●

Please refer to page 19 of the 2023 price list for full Xperio Sun availability

Varilux Sunmax Xperio Polarised		Airwear 1.59		421	Xperio SUN LENSES POLARISED
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	■
700	Up to 101	-5.00	+5.00	+3.00	■
850	Up to 101	-5.00	+5.00	+3.00	■
Addition	0.75 to 3.50	Prism	N/A		●●●

Please refer to page 19 of the 2023 price list for full Xperio Sun availability

Essilor® Sunmax

Essilor Sunmax Clear & Xperio Tinted		Ormix 1.6		588	
BASE	Ø	RANGE		CYLINDER	
600	Up to 100	-6.00	+5.00	+4.00	
675	Up to 100	-5.00	+5.00	+4.00	
850	Up to 95	-4.00	+5.00	+3.00	
Please refer to page 20 of the 2023 price list for full Xperio Sun availability					

Essilor Sunmax Xperio Polarised		Ormix 1.6		588	
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	
675	Up to 101	-5.00	+5.00	+4.00	
850	Up to 101	-5.00	+5.00	+4.00	
Please refer to page 20 of the 2023 price list for full Xperio Sun availability					

Essilor Sunmax Clear & Xperio Tinted		Airwear 1.59		415	
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	
700	Up to 101	-5.00	+5.00	+3.00	
850	Up to 101	-5.00	+5.00	+3.00	
Please refer to page 20 of the 2023 price list for full Xperio Sun availability					

Essilor Sunmax Xperio Polarised		Airwear 1.59		415	
BASE	Ø	RANGE		CYLINDER	
550	Up to 101	-6.00	+5.00	+4.00	
700	Up to 101	-5.00	+5.00	+3.00	
850	Up to 101	-5.00	+5.00	+3.00	
Please refer to page 20 of the 2023 price list for full Xperio Sun availability					

SPECIALISED LENSES



Specialised lenses range

With expertise developed over 150 years, the Specialised Lenses laboratory team is at your service to bring the best possible vision to patients with specific visual needs.

Benefits to patients

- Options for patients with high myopia and toroidal prescriptions to benefit from thinner and lighter lenses and improved aesthetics
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Patients with specific vocational or unique vision demands

Lens characteristics

- Flange curves enable edge thickness of concave lenticular lenses to be reduced significantly
- Franklin type mounting by bonding together two lenses of the same material, providing a wide range of possibilities to answer very specific requests in terms of power and usage
- High power and/or strong prism availability
- Elimination of annular scotoma

Ordering/dispensing information

- Essential:
 - Pupillary distances (PDs)
 - Fitting heights (For Varilux, Bifocal and Trifocal lenses)
- Minimum fitting height for Varilux lenses: 15mm
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal lenses: Use Essiclean

Ordering

Due to the uniqueness of these products, the ordering process is different to your usual ordering process:

- 1 Select the appropriate design for your patient's needs and prescription
- 2 Complete a Specialised Lens order form providing all information (available to download from ecp.essilor.co.uk)
- 3 Send the order via:
 - a. Fax to 01454 281 282
 - b. Email to slorders@essilor.co.uk
 - c. Post to Essilor Ltd, Specialised Lenses, Cooper Road, Thornbury, Bristol, BS35 3UW with the patient's frame
- 4 If you send your order via fax or email please post the patient's frame with your order reference to:
Essilor Ltd, Specialised Lenses, Cooper Road, Thornbury, Bristol, BS35 3UW to keep lead times to a minimum
- 5 Your patient's lenses will be surfaced using extreme care and glazed with a mastery of skill

Essilor® Exceptio



Lineis 1.74 Clear



CODE: BJ7

Product information

- High power and/or strong prism spherical single vision lens
- Precal mandatory




- 055
- 060
- 065
- 070
- 075

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio

Stylis 1.67 Clear



CODE: 007

Product information



- High power and/or strong prism spherical single vision lens
- Precal mandatory

- 050
- 055
- 060
- 060 CX Torus reduced aperture
- 065
- 070

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio

Stylis 1.67 Transitions Signature Gen8



CODE: 007

Product information


- High power and/or strong prism spherical single vision lens
- Precal mandatory
- Available in Brown or Grey

- 060
- 065
- 070
- 075

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio

Orma 1.5 Clear



CODE: 515

Product information


- High power and/or strong prism spherical single vision lens
- Precal mandatory

- 045 Biconvex
- 050 Biconvex
- 055
- 060
- 065
- 070

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio Maxilenti

Stylis 1.67 Clear



CODE: 153

Product information


- High power and/or strong prism spherical single vision concave lenticular lens
- Precal mandatory
- Invisible concave/convex flange curve

- 065 Facette 35mm
- 065 Facette 30mm
- 065 Facette 25mm
- 065 Facette 20mm

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio Maxilenti

Stylis 1.67 Transitions Signature Gen8



CODE: 153

Product information


- High power and/or strong prism spherical single vision concave lenticular lens
- Precal mandatory
- Invisible concave/convex flange curve
- Available in Brown or Grey

- 065 Facette 35mm
- 065 Facette 30mm
- 065 Facette 25mm

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio Concave Lenticular

Stylis 1.67 Clear



CODE: 410

Product information


- High power and/or strong prism spherical single vision concave lenticular lens
- Precal mandatory
- Flange curves predetermined according to the power
- A pairing of the flange curve with the highest power will be made

- 065 Concave flange curve Ø30
- 065 Concave flange curve Ø25
- 065 Convex flange curve Ø25
- 060 Biconcave convex flange curve Ø20

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Exceptio Concave Lenticular

Orma 1.5 Clear



CODE: 918

Product information


- High power and/or strong prism spherical single vision concave lenticular lens
- Precal mandatory
- Flange curves predetermined according to the power
- A pairing of the flange curve with the highest power will be made

- Ø65 Convex flange curve Ø30
- Ø65 Convex flange curve Ø25
- Ø60 Biconcave convex flange curve Ø20

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Essilor® Omega Exceptio


Orma 1.5 Clear



CODE: 911

Product information

- Blended lenticular single vision lens
- Lens for strong plus prescriptions (strongly hypermetropic or aphakic)
- Elimination of annular scotoma
- Optical aspherisation in the central zone and geometrical aspherisation in the peripheral zone
- Biconvex possible above +20.00DS
- Precal mandatory




■ 067
Manufacturing range (for information only)

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

SV Convex Lenticular

Orma 1.5 Clear



CODE: 545



Product information

- Lenticular single vision lens
- Ø60mm
- Lens for strong plus prescriptions (strongly hypermetropic or aphakic)
- Optical zone of 25 or 34mm depending on power
- Biconvex available depending on power
- Range from +14.00 to +28.00DS Cyl 6.00

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Varilux® Exceptio







Stylis 1.67 Clear




CODE: 329

Product information

- Varilux lens for high powers and/or strong prisms
- Minimum mounting height of 15mm
- Precal mandatory
- Round concave flange curves \varnothing 30mm

-  060
-  060 With potentially a limited optical aperture
-  065
-  065 Only with concave flange curve
-  070
-  075


Additions
0.75 / 3.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Varilux® Exceptio

Stylis 1.67 transitions Signature Gen8




CODE: 329

Product information

- Varilux lens for high powers and/or strong prisms
- Minimum mounting height of 15mm
- Precal mandatory
- Round concave flange curves Ø 30mm
- Available in Brown or Grey

- Ø60
- Ø60 With potentially a limited optical aperture
- Ø65
- Ø65 Only with concave flange curve
- Ø70
- Ø75


Additions
0.75 / 3.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Varilux® Exceptio

Orma 1.5 Clear




CODE: 328

Product information

- Varilux lens for high powers and/or strong prisms
- Minimum mounting height of 15mm
- Precal mandatory
- Round concave flange curves Ø 30mm

- Ø60
- Ø65
- Ø65 Only with concave flange curve
- Ø70
- Ø75


Additions
0.75 / 3.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Varilux® Omega Exceptio

Orma 1.5 Clear



CODE: 913


Product information

- Varilux aspheric lens
- Optical aspherisation in the central zone and geometrical aspherisation in the peripheral zone
- Optical zone of $\varnothing 43\text{mm}$
- Progression length of 10mm
- Minimum mounting height of 12mm
- Precal mandatory
- Varilux lens for strong plus prescriptions (strongly hypermetropic or aphakic)

 $\varnothing 67$
Manufacturing range (for information only)

Additions


2.50 / 3.00 / 3.50 / 4.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Bifocal Omega Exceptio

Orma 1.5 Clear



CODE: 914


Product information

- Aspherised bifocal lens
- Optical aspherisation in the central zone and geometrical aspherisation in the peripheral zone
- Near vision segment \varnothing 22mm
- Precal mandatory
- Bifocal lens for strong plus prescriptions (strongly hypermetropic or aphakic)
- Elimination of annular scotoma

 \varnothing 67
Manufacturing range (for information only)

Additions


2.00 to 3.00 / 3.50 / 4.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Bifocal Aspheric Lenticular Exceptio

Orma 1.5 Clear



CODE: 915


Product information

- Aspherised bifocal lens
- Aspherised optical zone of \varnothing 42.5mm
- Precal mandatory
- Bifocal lens for strong plus prescriptions (strongly hypermetropic or aphakic)

 \varnothing 67
Manufacturing range (for information only)

Additions



2.00 / 3.00 / 3.50



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Telemil 38 Exceptio

Orma 1.5 Clear



CODE: 917

Product information

- Bifocal for strabismus
- Large round segment of Ø38mm
- Recommended for readaptation of strabismic children
- Precal mandatory


Ø65

Ø65 / Ø70

Ø70

Additions


1.00 to 3.50 / 4.00 / 4.50 / 5.00



Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Telex Executive Bonded

Orma 1.5 Clear




CODE: 908

Product information

- Spherical full field Franklin type bonded bifocal lens
- Ø65mm
- Composed of two Orma 1.5 single vision lenses bonded edge to edge
- Precal mandatory
- Different prismatic corrections between distance and near vision available
- Optimisation of distance and near vision fields
- Full field distance and near vision
- Additions from 0.75 to 3.00

- 055
- 060
- 065




Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Trifocal with top and bottom segments

Orma 1.5 Clear



CODE: 909



Product information

- Double segment trifocal lens
- **Standard decentring:**
 - Segments decentred by 2mm at the nose
 - Standard distance of 11mm between the two segments
- Precal mandatory
- Different prismatic corrections between distance and near vision available
- **Information required for ordering:**
 - Dimensions and shape of segments
 - Height between the two segments


Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Bifocal with polymerisation

Orma 1.5 Clear



CODE: 910




Product information

- Bifocal lens with polymerisation of near vision segment
- **Near vision segment**
 - Standard 28mm curve decentered by 2.5mm
 - Choice of size or positioning of segment
 - Non standard additions possible
- Precal mandatory
- Different prismatic corrections between distance and near vision available
- **Information required for ordering:**
 - Dimensions and shape of segments
 - Positioning of segment

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

Telemil 22 Amblyopic

Orma 1.5 Clear








CODE: 622

Product information

- Bifocal lens with strong addition
- **22mm segment additions:**
 - 6.00, 8.00, 10.00
- **20mm segment additions:**
 - 12.00, 16.00, 20.00, 24.00, 28.00, 32.00
- Recommended for amblyopic patients
- Precal mandatory
- Range from -7.00 to +3.00DS Cyl 6.00

Please contact the Specialised lenses team for out of range availability by emailing slorders@essilor.co.uk or calling 01454 281 281

SINGLE VISION STOCK



Single Vision Stock - Lineis 1.74 / Stylis 1.67

Aspheric Stock Clear Crizal Sapphire HR		Lineis 1.74	560 100 876
Ø	RANGE		CYLINDER
70	-12.00	-8.25	+2.00
75	-10.00	-3.00	+2.00

Spheric Stock Clear Crizal Sapphire HR		Stylis 1.67	561 100 876
Ø	RANGE		CYLINDER
65 ⁽¹⁾	-12.00 to -8.25	+0.25 to +6.00	+2.00
70	-10.00 to -6.25	-1.75 to +2.00	+2.00
75	-8.00	Plano	+2.00

Spheric Stock Clear Crizal Easy Pro		Stylis 1.67	561 100 678
Ø	RANGE		CYLINDER
65 ⁽¹⁾	-12.00 to -8.25	+0.25 to +6.00	+2.00
70	-10.00 to -6.25	-1.75 to +2.00	+2.00
75	-8.00	Plano	+2.00

Aspheric Stock Clear Crizal Sapphire HR		Stylis 1.67	561 100 876
Ø	RANGE		CYLINDER
65	-1.75	+6.00	+2.00
70 ⁽²⁾	-12.00	-8.25	+2.00
75	-9.00	-6.25	+2.00
80	-8.00	Plano	+2.00

⁽¹⁾ 650: Spheres only available when highest power is greater than -10.00

⁽²⁾ 700: Spheres only available when highest power is greater than -10.00



Single Vision Stock - Ormix 1.6



Spheric Stock Clear Crizal Previncia		Ormix 1.6	524 100 676
Ø	RANGE	CYLINDER	
65	-1.75	+6.00	+2.00
70	-6.00	Plano	+2.00



Spheric Stock Clear Crizal Sapphire HR		Ormix 1.6	524 100 876
Ø	RANGE	CYLINDER	
65	-1.75	+6.00	+2.00
70	-10.00	-6.25	+2.00
75	-8.00	Plano	+2.00

Spheric Stock Clear Crizal Easy Pro		Ormix 1.6	524 100 678
Ø	RANGE	CYLINDER	
65	-1.75	+6.00	+2.00
70	-12.00	-6.25	+2.00
75	-8.00	Plano	+2.00

Spheric Stock Clear Supra		Ormix 1.6	524 010 160
Ø	RANGE	CYLINDER	
65	-1.75	+6.00	+2.00
70	-12.00	-6.25	+2.00
75	-8.00	Plano	+2.00

Spheric Stock Transitions Crizal Sapphire HR		Ormix 1.6	B 524 716 876 G 524 701 876	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
65	-1.75	+4.00	+2.00	
75	-6.00	Plano	+2.00	

Spheric Stock Transitions Supra		Ormix 1.6	B 524 716 172 G 524 701 172	Transitions Signature GEN8
Ø	RANGE	CYLINDER		
65	-1.75	+4.00	+2.00	
75	-8.00	Plano	+2.00	

Spheric Stock Crizal Sun XProtect		Ormix 1.6	B 524 343 1CT G 524 353 1CT G/G 524 533 1CT	Xperio SUN LENSES TINTED
Ø	RANGE	CYLINDER		
65	-1.75	+6.00	+2.00	 ⁽¹⁾
75	-6.00	Plano	+2.00	 ⁽¹⁾

Aspheric Stock Clear Crizal Sapphire HR		Ormix 1.6	518 100 876
Ø	RANGE	CYLINDER	
65	-1.75	+6.00	+2.00
70	-10.00	-6.25	+2.00
75	-8.00	Plano	+2.00

⁽¹⁾ Xperio Tint Class 3 - 15% LTF

Single Vision Stock - Airwear 1.59

Spheric Stock Clear Crizal Sapphire HR		Airwear 1.59	574 100 876
Ø	RANGE		CYLINDER
65	-1.00	+4.00	+2.00
70	-8.00	+0.75	+2.00

Spheric Stock Clear Crizal Easy Pro		Airwear 1.59	574 100 678
Ø	RANGE		CYLINDER
65	-1.00	+4.00	+2.00
70	-8.00	+0.75	+2.00

Spheric Stock Clear Supra		Airwear 1.59	574 100 314
Ø	RANGE		CYLINDER
65	-1.00	+4.00	+2.00
70	-8.00	+0.75	+2.00

Junior Stock Clear Supra		Airwear 1.59	161 100
Ø	RANGE		CYLINDER
55	-1.75	+6.00	+2.00
60	-6.00	+6.00	+2.00

Crizal Kids Stock Clear Crizal Previncia		Airwear 1.59	161 100 676
Ø	RANGE		CYLINDER
55	-1.75	+6.00	+2.00
60	-6.00	+6.00	+2.00

Crizal Kids Stock Clear Crizal Easy Pro		Airwear 1.59	547 100 678
Ø	RANGE		CYLINDER
55	-1.75	+6.00	+2.00
60	-6.00	+6.00	+2.00

Single Vision Stock - Orma 1.5

Spheric Stock Clear Crizal Previncia		Orma 1.5	522 100 045
Ø	RANGE		CYLINDER
65	+0.25	+5.00	+2.00
70	-5.00	+5.00	+2.00




Spheric Stock Clear Crizal Sapphire HR		Orma 1.5	522 100 876
Ø	RANGE		CYLINDER
55	+0.25	+5.00	+2.00
60	+0.25	+5.00	+2.00
65	+0.25	+6.00	+2.00
70	-6.00	+4.00	+2.00




Spheric Stock Clear Crizal Easy Pro		Orma 1.5	522 100 678
Ø	RANGE		CYLINDER
55	+0.25	+5.00	+2.00
60	+0.25	+5.00	+2.00
65	+0.25	+5.00	+2.00
70	-5.00	+4.00	+2.00




Spheric Stock Clear Supra		Orma 1.5	522 100 160
Ø	RANGE		CYLINDER
60	Plano	+6.00	+2.00
65	-6.00	+6.00	+2.00
70	-6.00	+6.00	+2.00
75	-4.00	+4.00	+2.00




Spheric Stock Clear Uncoated		Orma 1.5	522 100
Ø	RANGE		CYLINDER
55	+0.25	+6.00	+2.00
60	+0.25	+6.00	+2.00
65	-7.00	+7.00	+3.00
70	-6.00	+6.00	+3.00
75	-4.00	+4.00	+2.00




Single Vision Stock - Orma 1.5

Spheric Stock Transitions Crizal Sapphire HR		Orma 1.5	B 522 716 876 G/G 522 719 876 G 522 701 876	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
65	+0.25	+4.00	+2.00	
70	+4.00	Plano	+2.00	
				




Spheric Stock Transitions Crizal Easy Pro		Orma 1.5	B 522 SA2 678 G 522 701 678	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
65	+0.25	+4.00	+2.00	
70	+4.00	Plano	+2.00	
				





Spheric Stock Transitions Supra		Orma 1.5	B 522 706 172 G/G 522 719 172 G 522 701 172	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
65	+0.25	+4.00	+2.00	
70	+4.00	Plano	+2.00	
				

Spheric Stock Transitions Crizal Sapphire HR		Orma 1.5	522 30A 876	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER	
65	+0.25	+4.00	+2.00	
70	+4.00	Plano	+2.00	
				

Spheric Stock Transitions Supra		Orma 1.5	522 30A 172	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER	
65	+0.25	+4.00	+2.00	
70	+4.00	Plano	+2.00	
				

Single Vision Stock - Orma 1.5

Spheric Stock Crizal Sun XProtect		Orma 1.5		BL 522 613 1CT BR 522 343 1CT G 522 353 1CT G/G 522 533 1CT	
Ø	RANGE		CYLINDER		
65	+0.25	+5.00	+2.00		
75	-5.00	+4.00	+2.00		

Spheric Stock Uncoated		Orma 1.5		BL 522 613 BR 522 343 G 522 353 G/G 522 533	
Ø	RANGE		CYLINDER		
65	+0.25	+5.00	+2.00		
70	-5.00	Plano	+2.00		
75	-5.00	+4.00	+2.00		

SINGLE VISION RX



Lineis™ 1.74 range



Lineis 1.74 lenses are ideal for high prescription patients looking for thin and light lenses.

Benefits to patients

- Ultra thin
- Greatly reduced magnification of the eye if hypermetropic
- Very comfortable
- 100% UV protection
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Highly myopic or hypermetropic patients

Lens characteristics

- Up to 50% thinner than Orma 1.5
- Thickness equivalent to 1.8 index glass
- Up to 10 times flatter than 1.8 index glass
- Up to 3 times lighter than 1.8 index glass
- 100% UVA & UVB absorption

Ordering/dispensing information

- Prisms by decentration not possible as lenses are aspheric
- Lower heights from pupil centre by 1mm for every 2° of pantoscopic tilt
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal or Optifog lenses: Use Essiclean
- Optifog lenses require the Optifog Smart Textile to activate the anti-fog properties

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Lineis™ 1.74

Aspheric Rx Clear ⁽¹⁾		Lineis 1.74	560
Ø	RANGE		CYLINDER
60	-18.00	+10.00	+4.00
65	-16.00	+10.00	+4.00
70	-12.00	+6.00	+4.00
75	-8.00	+2.00	+4.00
80	-6.00	-3.00	+2.00

Prism ≤ 4.00

Aspheric Rx Transitions		Lineis 1.74	560	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55	-18.00	+10.00	+6.00	■
60	-18.00	+10.00	+6.00	■
65	-16.00	+10.00	+6.00	■
70	-12.00	+6.00	+6.00	■
75	-10.00	+2.00	+6.00	■
80	-8.00	+2.00	+6.00	■

Prism ≤ 4.00

Please refer to page 27 of the 2023 price list for coating and full Xperio Sun availability

Stylis® 1.67 range



Aspheric Stylis 1.67 lenses are thinner, flatter and offer optimal vision, they may be a better choice for curved frames.

Benefits to patients

- Very thin
- 100% UV protection
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Patients looking for improved aesthetics (thinner and flatter lenses)

Lens characteristics

- Up to 40% thinner than Orma 1.5
- Up to 6 times more impact resistant than Orma 1.5
- 100% UVA & UVB absorption

Ordering/dispensing information

- For aspheric Stylis 1.67 lenses:
 - Prisms by decentration not possible
 - Lower heights from pupil centre by 1mm for every 2° of pantoscopic tilt
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal or Optifog lenses: Use Essiclean
- Optifog lenses require the Optifog Smart Textile to activate the anti-fog properties

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Stylis® 1.67

Spheric Rx Clear		Stylis 1.67	561
Ø	RANGE		CYLINDER
60	-13.00	+8.00	+4.00
65	-13.00	+8.00	+4.00
70	-10.00	+6.00	+4.00
75	-8.00	+2.00	+4.00

Prism ≤ 4.00

Special Rx Sphere: +13.50 / -14.50 / Cyl 6.50
(Availability depends on Rx specification)

Spheric Rx Transitions		Stylis 1.67	561	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE		CYLINDER			
55	-13.00	+9.00	+6.00	■	■	■
60	-13.00	+9.00	+6.00	■	■	■
65	-13.00	+9.00	+6.00	■	■	■
70	-11.00	+9.00	+6.00	■	■	■
75	-10.00	+8.50	+5.00	■	■	■
80	-9.00	+7.50	+4.00	■	■	■

Prism ≤ 4.00

Spheric Rx		Stylis 1.67	561	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
60	-13.00	+8.00	+4.00	■
65	-13.00	+8.00	+4.00	■
70	-11.00	+8.00	+4.00	■
75	-10.00	+8.00	+4.00	■
80	-7.50	+7.00	+4.00	■

Prism ≤ 4.00

Please refer to page 28 of the 2023 price list for coating and full Xperio Sun availability

Stylis® 1.67

Aspheric Rx Clear		Stylis 1.67	556
Ø	RANGE		CYLINDER
60	-16.00	+8.00	+4.00
65	-16.00	+8.00	+4.00
70	-12.00	+4.00	+4.00
75	-8.00	+2.00	+4.00
80	-6.00	+0.25	+2.00

Prism ≤ 4.00

Special Rx Sphere: +8.75 / Cyl 6.50
(Availability depends on Rx specification)

Aspheric Rx Transitions		Stylis 1.67	556	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55	-16.00	+8.00	+6.00	■
60	-16.00	+8.00	+6.00	■
65	-16.00	+8.00	+6.00	■
70	-12.00	+4.00	+5.00	■
75	-9.00	+2.00	+4.00	■
80	-8.00	+1.00	+4.00	■

Prism ≤ 4.00

Please refer to page 28 of the 2023 price list for coating and full Xperio Sun availability

Ormix™ 1.6 range



Ormix 1.6 lenses are suitable for any occasion and available in both spheric and aspheric forms.

Benefits to patients

- Thin
- Comfortable
- 100% UV protection
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Any single vision patients

Lens characteristics

- Up to 20% thinner than Orma 1.5
- Up to 25% lighter than Orma 1.5
- 100% UVA & UVB absorption

Ordering/dispensing information

- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal or Optifog lenses: Use Essiclean
- Optifog lenses require the Optifog Smart Textile to activate the anti-fog properties

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Ormix™ 1.6

Spheric Rx Clear		Ormix 1.6	524
Ø	RANGE		CYLINDER
65	-13.00	+8.00	+4.00
70	-10.00	+2.00	+4.00
75	-6.00	Plano	+4.00

Prism ≤ 5.00

Spheric Rx Transitions		Ormix 1.6	524	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION	Style MIRRORS
Ø	RANGE		CYLINDER			
55	-13.00	+8.00	+6.00	■	■	■
60	-13.00	+8.00	+6.00	■	■	■
65	-11.50	+8.00	+6.00	■	■	■
70	-10.00	+8.00	+6.00	■	■	■
75	-9.00	+8.00	+5.00	■	■	■
80	-8.00	+6.00	+4.00	■	■	■

Prism ≤ 5.00⁽¹⁾

Spheric Rx		Ormix 1.6	524	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
60	-12.00	+8.00	+4.00	■
65	-11.00	+8.00	+4.00	■
70	-10.00	+8.00	+4.00	■
75	-9.00	+8.00	+4.00	■
80	-8.00	+8.00	+4.00	■

Prism ≤ 5.00⁽¹⁾

Please refer to page 29 of the 2023 price list for coating and full Xperio Sun availability

⁽¹⁾ Prism = 4.00 with Transitions XTRActive New Generation

Ormix™ 1.6

Aspheric Rx Clear		Ormix 1.6	518
Ø	RANGE		CYLINDER
65	-13.00	+10.00	+4.00
70	-10.00	+4.00	+4.00
75	-6.00	Plano	+4.00

Prism ≤ 5.00

Aspheric Rx Transitions		Ormix 1.6	518	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55	-13.00	+10.00	+6.00	■
60	-13.00	+10.00	+6.00	■
65	-13.00	+10.00	+6.00	■
70	-12.00	+4.00	+5.00	■
75	-8.00	Plano	+4.00	■

Prism ≤ 5.00

Please refer to page 29 of the 2023 price list for coating and full Xperio Sun availability

Airwear™ 1.59 range



Airwear 1.59 lenses provide protection against impact and UV and are available in both spheric and aspheric forms.

Benefits to patients

- Very comfortable
- Extremely safe – ideal for sport and children
- 100% UV protection
- Full two year guarantee against scratching and manufacturing defects with Crizal Previncia and Crizal Sapphire HR

Recommended for

- Children
- Active wearers
- Patients with a rimless frame

Ordering/dispensing information

- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Airwear 1.59, Crizal or Optifog lenses: Use Essiclean
- Optifog lenses require the Optifog Smart Textile to activate the anti-fog properties

Lens characteristics

- Up to 20% thinner than Orma 1.5
- Up to 30% lighter than Orma 1.5
- 12 times more impact resistant than Orma 1.5
- 100% UVA & UVB absorption

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Airwear™ 1.59


Spheric Rx Clear		Airwear 1.59	547
Ø	RANGE		CYLINDER
55	-3.00	+6.00	+4.00
60	-3.00	+6.00	+4.00
65	-3.00	+6.00	+4.00
70	-10.00	+4.00	+4.00

Prism ≤ 4.00

Special Rx Sphere: +8.00 / -11.00 / Cyl 5.00
(Availability depends on Rx specification)


Spheric Rx Transitions		Airwear 1.59	547	Transitions Signature GEN8
Ø	RANGE		CYLINDER	
55	-10.00	+8.00	+6.00	■
60	-10.00	+8.00	+6.00	■
65	-10.00	+8.00	+6.00	■
70	-9.00	+8.00	+6.00	■
74	-8.50	+6.00	+5.00	■
79	-8.00	+4.50	+4.00	

Prism ≤ 4.00



Spheric Rx		Airwear 1.59	547	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
60	-10.00	+6.00	+4.00	■
65	-10.00	+6.00	+4.00	■
70	-10.00	+6.00	+4.00	■
74	-4.00	+4.00	+4.00	■

Prism ≤ 4.00



Please refer to page 30 of the 2023 price list for coating and full Xperio Sun availability

Airwear™ 1.59

Aspheric Rx Clear		Airwear 1.59		544
Ø	RANGE		CYLINDER	
60	-3.00	+8.00		+4.00
65	-3.00	+8.00		+4.00
70	-10.00	+4.00		+4.00

Prism ≤ 4.00

Special Rx Sphere: +8.50 / -12.50 / Cyl 5.00
(Availability depends on Rx specification)

Aspheric Rx Transitions		Airwear 1.59		544	
Ø	RANGE		CYLINDER		
60	-10.00	+8.00		+6.00	
65	-10.00	+8.00		+5.00	
70	-10.00	+8.00		+4.00	
Prism	≤ 4.00				

Please refer to page 30 of the 2023 price list for coating and full Xperio Sun availability

Orma[®] 1.5

Spheric Rx Clear		Orma 1.5	522
Ø	RANGE		CYLINDER
60	-13.50	+12.00	+5.00
65	-12.00	+9.50	+5.00
70	-10.00	+8.00	+5.00
75	-7.00	+7.00	+5.00
80	-5.00	+5.00	+4.00

Prism ≤ 5.00

Special Rx Sphere: +14.00 / Cyl 6.00
(Availability depends on Rx specification)

Uncoated Available up to Cyl 4.00 only

Spheric Rx Transitions		Orma 1.5	522	Transitions Signature GEN8	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER		
55	-12.00	+10.00	+6.00	■	■
60	-11.00	+10.00	+6.00	■	■
65	-10.00	+10.00	+6.00	■	■
70	-9.00	+6.00	+6.00	■	■
75	-8.00	+4.50	+5.00	■	■

Prism ≤ 3.00

Spheric Rx		Orma 1.5	522	Xperio SUN LENSES POLARISED
Ø	RANGE		CYLINDER	
60	-8.00	+6.00	+4.00	■
65	-8.00	+6.00	+4.00	■
70	-8.00	+6.00	+4.00	■
74	-4.00	+4.00	+2.00	■

Prism ≤ 4.00

Please refer to page 31 of the 2023 price list for coating and full Xperio Sun availability

Orma[®] 1.5

Spheric Stock + Clear		Orma 1.5	522
Ø	RANGE		CYLINDER
55	+0.25	+6.00	+2.00
60	+0.25	+6.00	+2.00
65	-7.00	+7.00	+3.00
70	-6.00	+6.00	+3.00
75	-4.00	+4.00	+2.00

Aspheric Hyperal Clear		Orma 1.5	597
Ø	RANGE		CYLINDER
60	Plano	+9.00	+4.00
65	Plano	+9.00	+4.00
70	Plano	+9.00	+4.00
75	Plano	+9.00	+4.00

Please refer to page 31 of the 2023 price list for coating and full Xperio Sun availability

Essilor® Road Pilot range

Premium single vision lens combined with a specific Crizal coating for optimum driving performance.

Benefits to patients

- Reduces the high order aberrations resulting in greater clarity of vision at all angles of gaze
- Up to 30% increase in contrast sensitivity and therefore quality of vision
- A decreased sensation of glare
- Harmful light protection in an aesthetically clear lens with Eye Protect System innovation¹

Recommended for

- Patients with a lifestyle that involves frequent driving
- Single vision wearers looking for innovative and high performance lenses
- Patients interested in visual health protection

Ordering/dispensing information

Essential:

- Pupillary distances (PDs)
- Fitting heights

Optional:

- Eyecode personalisation data
 - Headcape angle
 - ERC distances (ERCd)
 - ERC PDs
 - ERC fitting heights

Ideal frame fitting conditions:

- Pantoscopic tilt 8-12°
- Wrap angle 4-8° (Faceform)
- Vertex distance 10-12mm

Lens characteristics

- Eyecode personalisation available
- Manufactured using Advanced Digital Surfacing
- Designed using Wavefront Management and Point by Point Twinning
- Up to 90% less reflections at night, at 507nm where eye sensitivity is highest²
- Available with Transitions XTRActive New Generation for the ultimate driving solution

Ordering

- Lower heights from pupil centre by 1mm for every 2° of pantoscopic tilt
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal lenses: Use Essiclean

⁽¹⁾ Harmful light = UV and Blue-Violet light

⁽²⁾ vs. a standard hard coating with no anti-reflection coating

Essilor® Road Pilot

Personalisation information

eyecode

Optional

Eye Protect System

EyeProtect System

Standard

Essilor Road Pilot Crizal Drive		Stylis 1.67		516	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER		
55	-13.00	+9.00	+6.00		
60	-13.00	+9.00	+6.00		
65	-13.00	+9.00	+6.00		
70	-11.00	+9.00	+6.00		
75	-10.00	+8.50	+5.00		
80	-9.00	+7.50	+4.00		
Prism	≤ 3.00				

Essilor Road Pilot Crizal Drive		Ormix 1.6		512	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER		
55	-13.00	+8.00	+6.00		
60	-13.00	+8.00	+6.00		
65	-11.50	+8.00	+6.00		
70	-10.00	+8.00	+6.00		
75	-9.00	+8.00	+5.00		
80	-8.00	+6.00	+4.00		
Prism	≤ 3.00				

Essilor Road Pilot Crizal Drive		Orma 1.5		968	Transitions XTRACTIVE NEW GENERATION
Ø	RANGE		CYLINDER		
55	-12.00	+10.00	+6.00		
60	-11.00	+10.00	+6.00		
65	-10.00	+10.00	+6.00		
70	-9.00	+6.00	+6.00		
75	-8.00	+4.50	+5.00		
Prism	≤ 4.50				

BIFOCAL



Flat top / Round seg range



Benefits to patients

- Clear near and distance vision
- Suitable for most frames
- Full two year guarantee against scratching and manufacturing defects with Crizal Sapphire HR

Lens characteristics

- Wide prescription range
- Seg drop 5mm
- Seg inset 2mm

Ordering/dispensing information

- On prism over 3Δ please call Customer Services to check availability
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Airwear 1.59 or Crizal lenses: Use Essiclean

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Flat top

35 Flat Top Clear		Orma 1.5		652
Ø	RANGE		CYLINDER	
60/68	-8.00	+8.50	+5.00	
65/73	-8.00	+8.50	+5.00	
70/78	-6.00	+8.50	+4.00	
76/84	-6.00	+6.00	+3.00	
Addition	1.00 to 3.00	Prism	≅ 4.00	

28 Flat Top Clear		Airwear 1.59		646
Ø	RANGE		CYLINDER	
60/67	-12.00	+8.50	+6.00	
67/73	-12.00	+7.25	+6.00	
70/77	-12.00	+6.25	+6.00	
75/82	-12.00	+4.75	+6.00	
Addition	1.00 to 3.00	Prism	≅ 4.00	

28 Flat Top Transitions		Orma 1.5		650	Transitions Signature GEN8
Ø	RANGE		CYLINDER		
60/68	-10.00	+6.00	+4.00		■
65/73	-8.75	+6.00	+4.00		■
70/78	-7.75	+6.00	+4.00		■
76/84	-6.75	+6.00	+4.00		■
Addition	1.00 to 3.00	Prism	≅ 4.00		● ●

28 Flat Top Clear		Ormix 1.6		649
Ø	RANGE		CYLINDER	
70	-10.00	+6.00	+4.00	
76	-6.00	+6.00	+4.00	
Addition	1.00 to 3.00	Prism	≅ 4.00	

28 Flat Top Clear		Orma 1.5		650
Ø	RANGE		CYLINDER	
60/68	-8.00	+8.00	+6.00	
65/73	-8.00	+8.00	+5.00	
70/78	-6.00	+8.00	+3.00	
76/84	-6.00	+6.00	+3.00	
Addition	60/68, 65/73, 70/78, 1.00 to 3.50, 4.00 76/84, 1.00 to 3.00	Prism	≅ 4.00	

25 Flat Top Clear		Orma 1.5		640
Ø	RANGE		CYLINDER	
60/68	-10.00	+8.50	+5.00	
65/73	-10.00	+8.50	+5.00	
70/78	-8.50	+8.50	+4.00	
Addition	1.00 to 4.00	Prism	≅ 4.00	

Please refer to page 33 and 34 of the 2023 price list for coating and full Xperio Sun availability

Round seg

28 Round Seg	Orma 1.5	665
--------------	----------	-----

Ø	RANGE		CYLINDER
60	+0.25	+8.00	+4.00
65	-7.50	+8.00	+6.00
70	-4.50	+6.00	+4.00

Addition 1.00 to 3.00 Prism \leq 4.00

Special Rx Sphere: -14.00 / -12.00 / Cyl 6.00
 (Availability depends on Rx specification)
 For additional availability please contact customer services

Please refer to page 35 of the 2023 price list for coating and full Xperio Sun availability

Curve top range



Benefits to patients

- Clear near and distance vision
- Aesthetically pleasing
- Comfortable to wear
- Full two year guarantee against scratching and manufacturing defects with Crizal Sapphire HR

Lens characteristics

- Seg drop 3mm
- Seg inset 2.5mm

Ordering/dispensing information

- Use monocular PDs – set the top of the bifocal segment to the bottom edge of the iris
- Frame pantoscopic tilt should be between 8° and 10°
- Standard segment position may not be altered
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal lenses: Use Essiclean

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Curved top

28 Curved Top		Stylis 1.67		657
Ø	RANGE		CYLINDER	
65	-10.00	+6.00	+6.00	
70	-10.00	+6.00	+6.00	
75	-9.00	+3.75	+6.00	
Addition	1.00 to 4.00	Prism	≅ 4.00	

28 Curved Top		Ormix 1.6		641
Ø	RANGE		CYLINDER	
60/65	-10.00	+6.00	+4.00	
65/70	-10.00	+6.00	+4.00	
70/75	-4.00	+4.00	+4.00	
Addition	0.75 to 3.50	Prism	≅ 4.00	

28 Curved Top		Orma 1.5		628
Ø	RANGE		CYLINDER	
70	-9.00	+6.50	+4.00	
76	-5.25	+6.50	+4.00	
Addition	65/70 1.00 to 4.00 (Excluding 3.25 & 3.75)	Prism	≅ 3.50	
	71/76 1.00 to 3.00			

Please refer to page 33 and 35 of the 2023 price list for coating and full Xperio Sun availability

¹⁾ No 3.25 and 3.75

Lenticular range



Benefits to patients

Lenticular

- Clear vision for near vision and distance
- Reduced thickness and weight

Lens characteristics

Lenticular

- 42mm aspheric central bowl
- 25mm elliptical segment
- Seg drop 2mm
- Seg inset 2.5mm

Ordering/dispensing information

- Use monocular PDs - set the top of the bifocal segment to the bottom edge of the iris
- Frame pantoscopic tilt should be between 8° and 10°
- After edging a Crizal coated lens: Ensure the Blue Pad Control system is removed with a soft tissue
- Do not use Acetone to clean Crizal lenses: Use Essiclean

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Lenticular

Aspheric Lenticular		Orma 1.5	691
Ø	RANGE		CYLINDER
67	+8.00	+17.00	+5.00
Addition	2.25 to 2.75	Prism	≅ 3.00
Special Rx	Sphere: +18.00 / -0.25 / Cyl 6.00 (Availability depends on Rx specification) For additional availability please contact customer services		
Please refer to page 35 of the 2023 price list for coating and full Xperio Sun availability			

Telex range



Benefits to patients

- Clear near and distance vision
- Suitable for most frames
- Unrestricted near field of vision

Lens characteristics

- Executive (E-line) bifocal
- Large prescription range
- Seg drop 4mm
- Reduced jump

Ordering/dispensing information

- Fitting heights on lower limbus
- Standard segment position may not be altered
- Uncut or glazing only

Ordering

- e-Store
- Phone
- Essilor Partner Laboratories

Telex



Telex		Orma 1.5	656
Ø	RANGE		CYLINDER
68/74	+6.00	+3.00	+4.00
Addition	1.00 to 3.00	Prism	≅ 3.00

Please refer to page 35 of the 2023 price list for coating and full Xperio Sun availability